4WDUNITY ACCESSORIES

WWW.UNITY4X4.COM

4X4 ACCESSORIES

4WDUNITY

Guangzhou Unity Manufacturing Co Ltd

4WDUNITY ACCESSORIES

WWW.UNITY4X4.COM

PROFESSIONAL OEM / ODM

4X4 CAR ACCESSORIES MANUFACTURE

Guangzhou Unity Manufacturing Co Ltd

TEL: 0086-20-36773611/28996644
E-mail: sales@china4x4accessories.com
OFFICE: NO.3018,HuiQiao Building,Baiyun Dadao Bei,Baiyun District,Guangzhou City,China;510440
ASSEMBLY: Building B5, Tangge Si She Industrial Zone, No.111 Tangge North Road Baiyun District, Guangzhou

ABOUT US

Established in 2007, Unity 4wd is a leading provider of 4x4 accessories. We are dedicated to producing and distributing high-quality 4x4 accessories and outdoor equipments, such as Bumper,Snorkel,Roof rack, Canopy, Fender Flares, Electric Winch and Roof top tents. We have 3 joint-stock factories and deep cooperations with over 60 factories, providing customers with a comprehensive supply chain to meet their research and development, customization/branding, andmarketing needs. It is our goal to build up a win-win relationship with the customers.

WHY CHOOSE 4WDUNUTY ?

01 Reached a strategic partnership with many “world famous brands”
02 100% Aftersales guarantee:double quality inspection & 3 years warranty
03 Help customers build the brand from 0-1 and to be the leading brand in local market
04 We focus on 4x4 accessories and rich experience in OEM &ODM service more than 16years
05 We provide full range of 4x4 accessories and service solutions, specializing in The production and distribution of high-quality products for Save customer’s time & money & worry & effort.
06 we have 3 operated joint-stock factories including Steel Material, Plastic Material and Camping Tent and deep cooperation with over 100 factories to offer customer with comprehensive supply chains.

5000+
SKU
4X4PRODUCTS

500+
SERVICE
4X4 AUTOMIBILE REPAIR SHOP

85+
COVERING
COUNTRIES IN THE WORLD

90%
PROFESSIONAL BUYER
REPURCHASE

ONE-STOP OEM/ODM SERVICE PROVIDER

- INTERNATIONAL STANDARD CHIN`ESE COST
- INDEPENDENTLY RESEARCH AND DEVELOP PRODUCTION TO IMPROVE PROCUREMENT COSTS
- INNOVATIVE DESIGN CAPABILITY EMPOWERS PRODUCT VALUE
- INTERNATIONAL STANDARD CERTIFICATION AND STRICT QUALITY ASSURANCE
- BRAND DEEPENING
- SELF DRIVING/OFF-ROAD/COMPETITIVE/COOL ONE-STOP SOLUTION FOR YOU
- CUSTOMS DECLARATION, LOGISTICS, STORAGE AND TRANSPORTATION AFTER-SALES SERVICE GUARANTEE
- BRAND PENETRATION
- EXPLORE,FIND MORE

2023
"4WDUNITY "
Brand upgrading

2022
Unity Constantly developing new designs and Approved multiple Patents, we believe Unity will be the right choice for you

2019
Unity Invest & Set Up "Roof top tent Factory " and "Steel Factory

2016
We Have Worked With Customers In More Than 80+ Countries

2015
Reached A Strategic Partnership With "Australia Pedders"and OEM For Many "World Famous brands"

2010
Develop More Than 100+ Snorkel and fender flares Mould

2007
Found "Unity" Brand in Guangzhou

4WDUNITY
ACCESSORIES
EXPLORE , FIND MORE

UNITY4WD ACCESSORIES

CONTENTS

TOYOTA-SNORKEL	1
TOYOTA-FENDER FLARE	14
FORD-FRONT GRILL	28
ELECTRIC WINCH	32
WINCH ACCESSORIES	41
TENT AND CAMPING	50
WATER TANK & JERRY CAN	60
4X4 BUMPER SERIES	68
SIDE STEP SERIES	72
4X4 ROOF RACK	75
4X4 Roll Bar	80
Canopy & Cap lid	83
Jack & Lift	84
AIR COMPRESSOR SERIES	85
WHEEL RIM	86
SUSPENSION AND LIFT KIT	89
AIR LOCKER SERIES	92
REAR DRAWERS	93
Tonneau covers-Trifold / Rolling Cover	99
PORTABLE REFRIGERATOR	101
SUZUKI JIMNY ACCESSORIES	106
JEEP JK & JL ACCESSORIES	110
NEW PRODUCT	112

TOYOTA-SNORKEL

UNI-STLC40B

TOYOTA LANDCRUISER 40
Year: 1/80 to 12/84
2H 4.0Litre-I6 Diesel
2F 4.2Litre-I6 petrol /
3B 3.4Litre-I4 Diesel
Material:LLDPE

UNI-STLC60

TOYOTA LANDCRUISER 60
61 & 62 series
Landcruiser 1/80 to 12/89
2F 4.2Litre-I6 P RHS
3F 4.0Litre-I6 P RHS
2H 4.0Litre-I6 D RHS
12H-T 4.0Litre-I6 D RHS

UNI-STLC70

TOYOTA LANDCRUISER 71
73,75,78 & 79 series
Narrow Front
Year:1/85 to 3/07
Material:LLDPE

UNI-STLC70B

TOYOTA LANDCRUISER 71
73,75,78 & 79 series
Narrow Front
Year:1/85 to 3/07
Material:LLDPE

UNI-STLC70C

TOYOTA LANDCRUISER 70
2007+

UNI-STLC75

TOYOTA LANDCRUISER 75
SS75HF HJ /FJ 75
Year:1/85 to 3/07
2H DIESEL(4.0L)
3F PETROL(3.4L)
Material:LLDPE

UNI-STLC75

TOYOTA LANDCRUISER 71
73,75,78,79
WIDE FROM LANDCRUISER
Diesel 1HZ 4.2Litre-6
Diesel 1VD-FTV 4.5Litre-V8
Intercooled Turbo
Material:LLDPE

UNI-STLC80

TOYOTA LANDCRUISER 80
SERIES (ALL MODELS)
Material:LLDPE

UNI-STPR90P

TOYOTA LANDCRUISER 90
Year:12/97 to 12/02
PRODO 3. 4L V6 PETROL
(5VZ-FE ENGINE)
Material:LLDPE

UNI-STLC90D

TOYOTA LANDCRUISER 90
TOYOTA PRODO 90
Year: 12/97 to 12/02
1KZ-TE 3.0Litre-I4
Diesel Left Hand Side
Material:LLDPE

UNI-STLC100

TOYOTA LANDCRUISER 100
(1HZ,1FZFE,2UZFE)
MATERIAL:LLDPE

UNI-STLC100T

TOYOTA LANDCRUISER 100
Lexus LX 470
Year:4/98 to 9/07
1FZ-FE 4.5Litre-I6 Petrol
2UZFE V8 4.7Litre-V8 Petrol
1HZ 4.2Litre-I6 Diesel
1HD-FTE 4.2Litre-I6 Diesel
Material:LLDPE

TOYOTA-SNORKEL

UNI-STLC105
TOYOTA LANDCRUISER 100
Lexus LX 470
Year:4/98 to 9/07
1FZ-FE 4.5Litre-I6 Petrol
2UZFE V8 4.7Litre-V8 Petrol
1HZ 4.2Litre-I6 Diesel
1HD-FTE 4.2Litre-I6 Diesel
Material:LLDPE

UNI-STPR120A
TOYOTA LANDCRUISER 120
PRADO 120 SERIES
Year:12/02 to 9/09
4.0L V6(1GR-FE ENGINE)
1KD-FTV 3.0Litre-I4 /
1KZ-TE 3.0Litre-I4
Material:LLDPE

UNI-STPR150A
TOYOTA PRODO 150
10/09 onwards
1GR-FE 4.0Litre-V6 Petrol
1KD-FTV 3.0Litre-I4 D RHS
Material:LLDPE

UNI-STLC200
TOYOTA LANDCRUISER 200
PRADO 200 SERIES
Year:2008 - 2017
1VD-FTV 4.5Litre-V8
Intercooled Twin Turbo /
2UZ-FE 4.7Litre-V8 DOHC
Material:LLDPE

UNI-STLC200N
TOYOTA LANDCRUISER 200
PRADO 200 SERIES
Year: 2017+
4.5L TTD V8
Material:LLDPE

UNI-STLC200T
TOYOTA LANDCRUISER 200
PRODO 200 SERIES
Year: 2008 - Onwards
1VD-FTV 4.5Litre-V8
Intercooled Twin Turbo /
2UZ-FE 4.7Litre-V8 DOHC
Material:LLDPE

UNI-STFJCRS
TOYOTA FJ CRUISER 1GRFE
4.0Litre-V6,2006-2008, Petrol
Material:LLDPE

UNI-STFJTJM
TOYOTA FJ CRUISER 1GRFE
4.0Litre-V6,2006-2008, Petrol
Material:LLDPE

UNI-STH65
TOYOTA HILUX 65 Series
Year: 1/83 to 12/88
4Y 2.2Litre-I4 P LHS
3Y 2.0Litre-I4 P LHS
2L 2.4Litre-I4 D LHS
MATERIAL:LLDPE

UNI-STH105
TOYOTA HILUX 105 22R 2.4
Litre-L4 petrol ,left side
Material:LLDPE(not include
two pcs Alloy castings)

UNI-STH106
TOYOTA HILUX 106 3L 2.8
Litre-I4 Diesel,left side
Material:LLDPE (not include
two pcs Alloy castings)

UNI-STH167L
TOYOTA HILUX 167 5L 3.0
Litre-I4 Diesel 1KZ-TE 3.0
Litre-I4 Diesel
5L-E 3.0Litre-I4 Diesel
Left Hand Side
Material:LLDPE

TOYOTA-SNORKEL

UNI-STH167R
TOYOTA HILUX 167
5VZ-FE 3.4Litre-V6 P RHS
3VZ-E 3.0Litre-V6 P RHS
3RZ-FE 2.7Litre-I4 P RHS
3L 2.8Litre-I4 D RHS
Material:LLDPE

UNI-STH125
TOYOTA HILUX VIGO
2005 MODEL
4.0L VVT-i V6 Petrol
(1GR-FE Engine)
Material:LLDPE

UNI-STH120
TOYOTA HILUX VIGO
2005 MODEL
3.0L D4D TDI
(1KD-FTV Engine)
Material:LLDPE

UNI-STHV05
TOYOTA HILUX VIGO
2005 MODEL
4.0L VVT-i V6 Petrol
(1GR-FE Engine)
Material:LLDPE

UNI-STHR15
TOYOTA HILUX Revo (ALL)
2015 MODEL
2.7L 2692CC 164Cu.
In. I4 GAS DOHC
Naturally Aspirated
Material:LLDPE

UNI-STHR15B
TOYOTA HILUX Revo (ALL)
2015 MODEL
2.7L 2692CC 164Cu.
In. I4 GAS DOHC
Naturally Aspirated
Material:LLDPE

UNI-STHR15C
TOYOTA HILUX Revo (ALL)
2015 MODEL
2.7L 2692CC 164Cu.
In. I4 GAS DOHC
Naturally Aspirated
Material:LLDPE

UNI-STTCMA
2005-2015 Toyota (SS171HP)
Tacoma Snorkel

UNI-STTCMB
Toyota Tacoma 2016+
(SS172HP)
Fits 2016+Tacoma V6 3.5L



UNI-ST4RN
Toyota 4Runner 2010-2018



UNI-STTD17
Toyota tundra 2017+

UNI-STPR150C
Toyota Prado 150 series
LC150 ,2009--2020 year
Right Hand Side , Diesel

TOYOTA-SNORKEL

UNI-STF
08/2015 Onwards 2.8L Diesel
1GD-FTV engines

UNI-STPR90B
TOYOTA PRODO 90
Year:12/97 to 12/02
3. 4L V6 PETROL
(5VZ-FE ENGINE)
Material :LLDPE

UNI-STLC80B
TOYOTA LANDCRUISER 80
SERIES (ALL MODELS)
Material:LLDPE

UNI-STLC78
TOYOTA LANDCRUISER
HZJ 75/78 SERIES
Year:1/85 to 3/07
4.2 DIESEL(1HZ ENGINE)
Material:LLDPE

UNI-ST3471
Snorkel FOR the Toyota
4RUNNER 4th Gen 2003-2009

UNI-STHR15D
FOR Toyota hilux REVO
2.8L V6 series narrow version

NISSAN-SNORKEL

UNI-SNY160
Nissan Y160A MQ/MK
(SD33 3.3LITRE-L6,
SD33-R 3.3LITRE-L6)
LEFT SIDE
Material:LLDPE

UNI-SNY60A
NISSAN GQ PATROL Y60
TD-42 DIESEL (4.2L)
1990-94; TB-42
PETROL Material:LLDPE

UNI-SNY60B
Nissan Patrol GQ(Y60)
Diesel TD42 Horizontal
Pre-clearer 4.2Litre-16
Diesel TD42 Vertical
Pre-clearer 4.2Litre-16

UNI-SNY61A
NISSAN GU PATROL Y61A
TB45E, TB48E,
RD28ETi & TD42
Material:LLDPE

UNI-SNY61B
NISSAN GU PATROL Y61B
1/03 to 8/04
TD42-TI/ZD30DDTI/TD42-T/
ZD30DDTI
Material:LLDPE

UNI-SNY61C
NISSAN GU PATROL Y61C
9/04 onwards
TD42-TI/ZD30DDT
4.2Litre-I6 /3.0Litre-I4
Material:LLDPE

UNI-SNY61D
NISSAN GU PATROL Y61D
TB48E 9/04 on
Material:LLDPE

UNI-SNND40A
NISSAN D40 NAVARA/R51
PATHFINDER-2.5L
YD25DDT ENGINE
Material:LLDPE

UNI-SNND40B
Nissan-D40 ST/STX
2010 Onwards
Spain Built Vin No: VSK
2.5Litre-I4 Diesel
Does not suit
RX 4x2 and 4x4 models

UNI-SNNP300A
Snorkel Nissan Navara
NP300 D23 ST/ST-X Dual Cab
2.3L Diesel

UNI-SNND21A
Nissan Navara D21 SS700HF
Fits FOR:FOR Navara D21
Car 3/1992 to 12/2006 models
Engine capacity:TD27
2.7Litre-I4 Fuel: Diesel
Fitment Side: Left Side

UNI-SNND22A
Nissan Navara D22/Frontier
01/1997-10/2001
Diesel QD32 3.2Litre-14vv

Ford & JEEP-SNORKEL

UNI-SFR07
Ford Ranger
Year: 12/06 to 07/11
3.0L-I4 Diesel
Material:LLDPE

UNI-SFR11A
Ford RANGER 08/11 Onwards
PX All Models
P4AT 2.2Litre-I4
P5AT 3.2Litre-I5
Diesel,right hand side

UNI-SFR11B
same as UNI-SFR11
(just the style of snorkel
are different , this model
needn't drill on car)

UNI-SFR16A
Ford Ranger T7 2016 onwards

UNI-SF150A
Ford F150 2015-2017

UNI-SJXJ
JEEP Cherokee XJ 4.0L E.F.I
PRE JAN 1995
Material:LLDPE

UNI-SJZJ
JEEP Grand Cherokee ZJ
1/93-12/98
MagnumV8 5.9Litre-V8 P LHS
AMCI6 93-95 model requires
relocation of PCM and
additional installation steps.
4.0Litre-I6 P LHS
Material:LLDPE

UNI-SJWJ
JEEP Grand Cherokee WJ
Snorkel SS1140HF
WJ 4.0L Petrol
WJ 4.7L Petrol

UNI-SJYJ
JEEP WRANGLER YJ
(4.0L E.F.I)
Material:LLDPE

UNI-SJTJ
Jeep Wrangler TJ 10/1992
to 10/2006
Petrol AMCI6 4.0Litre/I6
Material:LLDPE

UNI-SJJK
Jeep Wrangler JK Eghv6
3.8Litre-v6 right hand drive
Vehicle Fitment Only
Material:LLDPE

UNI-SJJL
Jeep Wrangler JL Eghv6
3.8Litre-v6 right hand drive
Vehicle Fitment Only
Material:LLDPE

MITSUBISHI-SNORKEL

UNI-SMV73
Mitsubishi V73A
(6G74 3.5LITRE-V6
4M41-T 3.2LITRE-L4)
Material:LLDPE

UNI-SMV93
Mitsubishi Pajero NS
& NT V8/V9 Series
3.2 Litre Turbo Diesel
(4M41 Engine)
3.8 Litre V6 Petrol
(6G76 Engine)

UNI-SMV31
MITSUBISHI PAJERO V31 NH-NJ
4D56 DIESEL (2.5L)
4D56 TURBO DIESEL (2.5L)
4G54 PETROL (2.6L)
6G72 PETROL (3.0L)1/90 to 7/97
Material:LLDPE

UNI-SML047
MITSUBISHI PAJERO
NA Series(L047) 1/83 to 12/89
(4D56-T / 4D56)
2.5Litre-I4
Material:LLDPE

UNI-SMT650
Mitsubishi Triton MK
Series 10/96 to 10/06
4M40-T 2.8Litre-I4 D RHS
4M40 2.8Litre-I4 D RHS
Material:LLDPE

UNI-SMT660
Mitsubishi Triton MN/ML
Serie 10/06 onwards
4M41-T 3.2Litre-I4
Material:LLDPE
EXCEPT Models fitted with
HID Headlamps

UNI-SMT662
Mitsubishi Triton MQ 2.4L Diesel

UNI-SMT665
Mitsubishi Challenger
PB 2.5L Diesel
Material:LLDPE

UNI-SMT19A
4X4 SNORKEL FOR the
Mitsubishi Triton MR
2.4L Diesel

UNI-SMV6
Mitsubishi Pajero Shogun
1991-1999 V33/V6
MATERIAL:LLDPE

UNI-SMDL400
MITSUBISHI Delica L400
1994-2006 Petrol and Diesel
MATERIAL:LLDPE
without any words on
Snorkel body

LAND ROVER & ISUZU

UNI-SLR350A
Land Rover Discovery 1
Engine:TD300 SE
Energy:2.5 litre
Fuel:DIesel type
Left side

UNI-SLR390A
Discovery 300 series/ Discovery 1

UNI-SLRD2
Land rover Discovery 2
1999 onwards: TD5 turbo
intercooled 5 cyl. 2.5
litre V8 3.9/4.0 litre Petrol
Left Hand Side
Material:LLDPE

UNI-SLRD3
Land rover Discovery3 (TDV6
SE 2.7LITRE Diesel,Right side)
Material:LLDPE

UNI-SLRD4
Land rover Discovery 4
(TDV6 SE 2.7LITRE,Diesel
3.0 TDV6 (Twin Turbo),
3.0 litre,Right side)
Material:LLDPE

UNI-SLRDF
LAND ROVER Defender Td4/TD5
(TD5 Turbo Intercooled
5cyl.2.5 litre,diesel,right side)
Material:LLDPE

UNI-SLRD5A
LAND ROVER Defender TD5
1999 onwards (TD5 Turbo
Intercooled diesel 5cy
l.25 litre,l,right side)
Material:LLDPE

UNI-SLRDFL
LAND ROVER Defender
2.5L T.D.I Model N° SS500R
(left side)Material:LLDPE

UNI-SIR100
ISUZU RODEO/CAMPO
R7 1/88 to 12/96
4JB1T 2.8Litre-I4 D LHS

UNI-SIJ200
ISUZU JACKAROO/TROOPER/
Monterey SS225HF/SS200HF/
SS250HF

UNI-SIDM165
ISUZU D-MAX 10/08 to 05/12
(Does not suit 4x2 SX Models)
Material:LLDPE

UNI-SIDM12A
ISUZU D-MAX 06/2012 Onwards
Material:LLDPE

ISUZU & SUZUKI

UNI-SIDM12B
ISUZU D-MAX 06/ 2012
Onwards Material:LLDPE

UNI-SIR155
ISUZU RODEO 01/2002
to 12/2002 R9 1/97 to 12/01
4JB1-T/4JX1T-E1
2.8Litre/3.0Litre-I4

UNI-SS810
SUZUKI SIERRA/SAMURAI/
GYPSY 1/84-12/97
G13A 1.3 Litre-I4 P RHS
Material:LLDPE

UNI-SSJNA
Suzuki Jimny Year:1997-2011
1.3L Petrol 4WD 4x4
Material:LLDPE

UNI-SSJNB
Suzuki Jimny Year:1997-2011
1.3L Petrol 4WD 4x4
Material:LLDPE

UNI-SSVL
Suzuki Vitara (Left side)
Petrol G16B 1.6Litre-i4
Material:LLDPE

UNI-SSVR
Suzuki Vitara (Right side)
Petrol G16B 1.6Litre-i5
Material:LLDPE

UNI-SGVTA
Suzuki GRAND VITARA Gen 2
(right side) 1996 to 2006
Diesel F9Q DDiS 1.9 Litre I4
1/06 to 12/07
Petrol H27A 2.7 Litre V6

UNI-SSGVR
Suzuki GRAND VITARA Gen 2
(right side) 1/06 to 12/11
Diesel F9Q DDiS 1.9 Litre I4
1/06 to 12/07
Petrol H27A 2.7 Litre V6

UNI-SLJVA
Grand Vitara Gen1 1999-2005

MAZDA & OTHER

UNI-BT50A
Mazda Bravo BT50 1/07 - 2011
3.0Litre-I4 Diesel
Material:LLDPE

UNI-SMBT50B
Mazda Bravo Bt50
3.2Litre-5Cyl 08/11 Onwards
Right hand side Diesel

UNI-SMBT50C
Mazda Bravo Bt50
3.2Litre-5Cyl 08/11 Onwards
Right hand side Diesel

UNI-SCLR12
Chevrolet COLORADO
05/12 Onwards 2.8Litre-I4 Disel
Material:LLDPE

UNI-SHTRC
Hyundai Terracan Snorkel
Turbo Diesel Only
Material:LLDPE

UNI-SYA3A
Russia Car
Yaz-0469/ UAS Hunter
Engine:2.7 Material:LLDPE

UNI-SNIVA21A
Russia car Lada Niva
Engine:1.6-1.7
Material:LLDPE

UNI-SUAV
UAZ Patriot,Engine
Capacity:2.7

UNI-SVA03
Volkswagen Amarok
03/11-onwards
TD1400 Twin
Turbo Intercooled
Diesel 2.0 Litre 4Cyl

UNI-SGMH3A
GM/Isuzu H3 Hummer

UNI-SNND725
Nissan D22 A.1/07 Onwards
(Single Battery Only),
YD25DDTi 2.5Litre-I4diesel
B.10/01 to 12/06
ZD30DDT 3.0Litre-I4
diesel Material:LLDPE

SNORKEL HEAD

SH-S
snorkel head 77mm
Material:LLDPE

SH-B
snorkel head 85mm
Material:LLDPE

SMH-77
Sahara mushroom head
ABS Material 77 mm

SMH-85
Sahara mushroom head
ABS Material 85 mm

SMH-S
mushroom head-S
ABS Material 77mm

SMH-B
mushroom head-B
ABS Material 85mm

SMH-1
mushroom head-77mm
ABS Material 77mm

SMH-2
mushroom head-85mm
ABS Material 85mm

PC-77
pre-cleaner
7inch Cup 77mm

ACCESSORIES

FENDER FLARE

TOYOTA-FENDER FLARE

FF-V4D05B
Toyota Hilux Vigo 2005-2012
FENDER FLARE (6pcs/set)

FF-V4D12B
Toyota Hilux Vigo 2012-2015
FENDER FLARE (6pcs/set)

FF-V4D12C
Toyota Hilux Vigo 2012-2015
FENDER FLARE (4pcs/set)

FF-THR15B
Toyota Hilux Revo 2016 on
FENDER FLARE (6pcs/set)

FF-THR15C
Toyota Hilux Revo 2016 on
FENDER FLARE (6pcs/set)

FF-THR15D
Toyota Hilux Revo 2016 on
FENDER FLARE (6pcs/set)
Injection molding process

FF-TFTN15B
TOYOTA FORTUNER 2015 ON

FF-TFTN15C
TOYOTA FORTUNER 2015 ON
Injection molding process

FF-LC80-ABS
Toyota Land Cruiser 80
1990-1998
Material: ABS (6pcs/set)

FF-LC150
Toyota Land Cruiser
PRADO 150
Material: ABS (6pcs/set)

FF-FJ
2007-2015 FJ CRUISER
fender flares

FF-TTCM05S
Fender Flares FOR 2005-2011
Tacoma 60.3 Fleetside
Short Bed

TOYOTA-FENDER FLARE

FF-TTCM05L
Fender Flares FOR 2005-2011
Tacoma 73.5
Fleetside long Bed

FF-TTCM12L
Fender Flares FOR 2012-2014
Tacoma 73.5
Fleetside long Bed

FF-TDRFF07
TOYOTA TUNDRA 2014-2015
FENDER FLARES

FF-LC77
LC77fender flares

FF-THR21B
Toyota Hilux Revo 2021 on
Fender Flare (4pcs/set)
Injection molding process

FF-TDRFF14
TOYOTA TUNDRA
2014-2015 Fender Flare

FF-TDRFF14A
TOYOTA TUNDRA
2014-2021 Fender Flare
Trim Add on

FF-LN166
Toyota LN166
Fender Flare (6pcs)
Thickness:3mm

FF-ROC18B
Toyota Hilux Revo 2021 on
Fender Flare (4pcs/set)
Injection molding process

FF-LC76
FOR Toyota LC76
2007+Fender Flares

FF-LC79
FOR Toyota LC79 Single Cab
Fender Flares

FF-V4D05D
Toyota Hilux Vigo
2005-2014Fender Flare

TOYOTA-FENDER FLARE

FF-TDRFF22
TOYOTA TUNDRA 2022
FENDER FLARES
fix with screws

FF-TDRFF22A
TOYOTA TUNDRA 2022
FENDER FLARES
fix with screws LE



FF-THR15E
Toyota Hilux Revo 2015-2021
FENDER FLARE
adhersive tape

FF-THR15F
Toyota Hilux Revo 2015-2017
FENDER FLARE
adhersive tape

FF-THR15G
Toyota Hilux Revo 2018-2019
FENDER FLARE
adhersive tape

FF-THR152D
Toyota Hilux Revo 2015+
FENDER FLARE
adhersive tape

FF-THR20A
Toyota Hilux Revo 2020+
FENDER FLARE
adhersive tape

FF-THR20B
Toyota Hilux 2020+
FENDER FLARE
adhersive tape



FF-TFTN15D
Toyota 2016+
FENDER FLARE
adhersive tape

FF-TFTN15E
Toyota 2016+
FENDER FLARE
adhersive tape

FF-4F10
Toyota 4runer 2016-2021
Fender Flares
fix with screws

NISSAN-FENDER FLARE

FF-NN4D14B
2015-2021 Navara small wheel
eyebrow 3M adhersive tape

FF-NN4D21A
2021 + Navara large wheel
arch 3M adhersive tape

FF-NN4D21B
2021 + Navara small wheel
arch 3M adhersive tape

FF-D22
D22 fender flares (4pcs)
Thickness:3mm
fix with screws

FF-NN4D05A
NISSAN NAVARA/frontier
2005-2012 4 doors
FENDER FLARES
Fit FOR USA car

FF-NT04A
Fender Flare FOR
2004-2014 NIssan
Titan w/Bedisde Lockox

FF-NN4D14A
NISSAN NAVARA NP300
2015-ON
FENDER FLARES

FF-NN4D14C
NISSAN NAVARA NP300
2015-ON FENDER FLARES

FF-GU
Nissan GU Fender Flare
(8pcs) Thickness:3mm

FF-GU4
Nissan GU4 Fender Flare
(8pcs) Thickness:3mm

FF-GQ
Nissan GQ Fender Flare (4pcs)
Thickness:3mm

TOYOTA-FENDER FLARE

UNI-FF-FS3
Jeep wrangler JK
07-17 with Light
ABS material Fender Flares

UNI-FF-FS4
Jeep wrangler JK (2 doors)
07-17 without Light
ABS material Fender Flares

FF-XJ
Jeep Cherokee XJ 4DR
1984-2001
Material:ABS 13cm wide
(6pcs/set)

FF-TJ
Jeep Wrangler TJ LJ
1997-2006
ABS Material

UNI-JFFA
Suzuki Jimny
Fender Flare

FF-JN18A
Suzuki Jimny JB64 18+
Fender Flare

FF-JN18B
Suzuki Jimny JB64 18+
Fender Flare

UNI-FF-FS11
Jeep Grand Cherokee2011-2021
Fender Flares fix
with screws

NISSAN-FENDER FLARE

FF-FR12A
Ford RANGER T6
2012-2017
Pocket Rivet Style
FENDER FLARES

FF-FR12B
Ford RANGER T6
2012-2015
Pocket Rivet Style
FENDER FLARES

FF-FR12C
Ford RANGER T6
2012-2015
Pocket Rivet Style
FENDER FLARES
Injection molding process

FF-FR15B
Ford RANGER T7
2015 -2017
Pocket Rivet Style
FENDER FLARES

FF-FR15C
Ford RANGER T7
2015 -2017
Pocket Rivet Style
FENDER FLARES
Injection molding process

FF-FR15D
Ford Ranger T7
2015-2017
Pocket Rivet Style
Fender Flare

TT-FRT8C
Ford Ranger T8
2019-2020 3' slim
Fender Flare with sensor hole

TT-FRT8A
Ford Ranger T8
2019-2020 9' slim
Fender Flare
with sensor hole

TT-FRT8B
Ford Ranger T8
2019-2020 6' slim
Fender Flare
with sensor hole

TT-FRT8D
Ford Ranger T8
2019-2020 4' slim
Fender Flare with sensor hole

FF-FRT8E
2012-2021 Ranger small wheel arch
(3 inch) sub black T6T7T8
3M adhersive tape

FF-FRT8F
2015-2021 Ranger small wheel arch
(3 inch) sub black t7t8
3M adhersive tape

FORD-FENDER FLARE

FF-FRT9ST6
RANGER T9
6-inch decorative screw
wheel eyebrow
2022+ SPORT

FF-FRT9XT6
RANGER T9
6-inch decorative screw
wheel eyebrow
2022+ XLT

FF-FRT9ST-L
RANGER T9
FENDER FLARES
With decorative screw
2022+ SPORT

FF-FRT9WK6
RANGER T9
6-inch decorative screw
wheel eyebrow
2022+ Wildtrack

FF-FRT9WK-L
RANGER T9
With decorative screw
FENDER FLARES
2022+ Wildtrack

FF-FRT9XT-L
RANGER T9
FENDER FLARES
With decorative screw
2022+ XLT

FF-FRT9XT-S
RANGER T9
small wheel eyebrow
2022+ XLT

FF-FRT9WK-S
RANGER T9
small wheel eyebrow
2022+ Wildtrack

FF-FRT9ST-S
RANGER T9
small wheel eyebrow
2022+ SPORT

FORD-FENDER FLARE

FF-F04A
FOR 04-08 Ford F-150
Styleside 4PC
FENDER FLARES

FF-F15008
FOR Ford POCKET STYLE
FENDER FLARES SET OF 4
Suit of 09-14 Ford Ford
F-150 Poket Style Fender

FF-F15009
FOR 09-14 Ford F150
RAPTOR FENDER FLARES
SET OF 4

FF-F15009R
FOR 09-14 Ford F150
RAPTOR FENDER FLARES
SET OF 4

FF-F15015
2015-2017 Ford F150
POCKET FENDER FLARES
ALL MODELS
(EXCEPT RAPTOR)

FF-F15015B
2015-2017 Ford F150
POCKET FENDER FLARES
ALL MODELS
(EXCEPT RAPTOR)

FF-15018
2018 onwards Ford F150
Pocket Fender Flare
All models (except Raptor)

FF-15018A
2018 onwards Ford F150
Fender Flare

FF-15018R
FOR 2018 onwards Ford
F150 Raptor Fender Flare
4 pcs/set

FORD-FENDER FLARE

FF-F99A
FENDER FLARES FOR
1999-2007 Ford F-250
F-350 Super Duty

FF-F25011
FENDER FLARES FOR2011-2014
Ford F-250/F-350(exclude dually)



FF-F25011
FENDER FLARES
FOR2011-2014
Ford F-250/F-350
(exclude dually)

FF-FE15B
Ford EVEREST 2015-ON
Pocket Rivet Style
FENDER FLARES

FF-FE15C
Ford EVEREST 2015-ON
Pocket Rivet Style
FENDER FLARES
Injection molding process

FF-FE15D
2015-2017
road shaker
Pocket FENDER FLARES
(radar) sub black
3M adhersive tape

FF-FE15E
2015-2019
Thai version:2020-2021
road shaker
Pocket FENDER FLARES
sub black (19 models) with holes
3M adhersive tape

ISUZU-FENDER FLARE

FF-DM12B
ISUZU D-MAX 2012-2017
FENDER FLARES

FF-DM12C
ISUZU D-MAX 2012-2016
FENDER FLARES
Injection molding process

FF-DM12D
ISUZU D-MAX
2012-2019
FENDER FLARES
3M adhersive tape

FF-DM12E
ISUZU D-MAX
2012-2019
FENDER FLARES
3M adhersive tape

FF-DM20A
FOR 2018 onwards Ford
F150 Raptor Fender Flare
4 pcs/set

FF-DM20B
FENDER FLARES
FOR2011-2014
Ford F-250/F-350
(exclude dually)

FF-DMAX07
ISUZU D-MAX
2007-2012
Fender Flare

FF-DMUX14A
ISUZU MUX 2014-2017
FENDER FLARES

MITSUBISHI

FF-MT19A
Mitsubishi Triton 2019+
Fender Flare, ABS material

FF-MT19B
Mitsubishi Triton 2019+
Fender Flare, ABS material

FF-MT19C
Mitsubishi Triton 2019+
Fender Flare, ABS material

FF-MT19D
Mitsubishi Triton 2019+
Fender Flare, ABS material

FF-MT19E
Mitsubishi Triton 2021+
Fender Flare, ABS material

FF-MT19F
2019 + Triton small wheel eyebrow
3M adhersive tape

FF-MT19G
MITSUBISHI TRITON 2019+
FENDER FLARE

FF-V31
Mitsubishi V31 Fender Flare

FF-MT15B
2015 Mitsubishi Triton
L200 Fender Flare

FF-MT15C
2015 Mitsubishi Triton
L200 Fender Flare Injection
molding process

FF-TRITON
Mitsubishi Triton 06-14
Fender Flare (4pcs/set)

FF-TT06B
Mitsubishi Triton 06-14
Fender Flare (4pcs/set) ABS

MITSUBISHI & DODGE

FF-MPS15A
Mitsubishi Pajero Sport 2015 Fender
Flare

FF-MPS15B
MIitsubishi Pajero Sport
2015 Fender Flare

FF-MPS15C
MIitsubishi Pajero Sport
2015 Fender Flare
Injection molding process

FF-DR94A
94-01 Dodge RAM 1500
94-02 Dodge RAM 2500/3500
(exclued Dually Models)

FF-DR02A
02-08 Dodge RAM 1500
03-09 Dodge RAM 2500/3500
power wagon short bed

FF-DR09A
09-15 Dodge Ram 1500
(does not fit r/t models)

FF-DR09B
Dodge Ram 2500/3500
2010-2017 Fender Flare

FF-DR11A
10-15 Dodge RAM 2500/3500
(dually models compatible)

FF-DR18A
2018-21 Dodge Ram 1500
Fender Flare

OTHER-FENDER FLARE

FF-VA10
Volkswagen AMAROK
2010-ON FENDER FLARES

FF-BT5014B
MAZDA BT50 2012
FENDER FLARES
(6pcs/set)

FF-BT5014
MAZDA BT50 2012
FENDER FLARES(6pcs/set)

FF-BT5014C
MAZDA BT50 2012
FENDER FLARES(4pcs/set)
Injection molding process

FF-CS03A
Chevrolet Silverado
2003-2006 1500 2500 3500
Smooth Pocket Style
Fender Flare

FF-CS07S
CHEVY SILVERADO
2007-2013 1500 69.3 inch
FENDER FLARES

FF-CS07L
CHEVY SILVERADO
2007-2013
1500/2500/3500HD
FENDER FLARES

FF-CS14A
Chevrolet Silverado
2014-2016
1500 2500 HD 3500
Fender Flares

FF-GMC88
Chevy GMC 1988-1998
C/K 1500 4PC
FENDER FLARES

FF-GMC99
GMC SIERRA 99-06
1500/2500/3500 HD
FENDER FLARES

FF-GMC07
GMC SIERRA 1500 2007-2013
FENDER FLARES

UNIVERSAL RUBBER



FRF-25mm
Flex Rubber Flares 25mm

FRF-43mm
Flex Rubber Flares 43mm

FRF-35mm
Flex Rubber Flares 35mm

FRF-65mm
Flex Rubber Flares 65mm

The flexible rubber flaremounts
from underneath the wheel arch,
it can be attached using tech screws or bolts.
To obtain a more rigid and flatter shape
just insert 4mm wire through the hole in the
outer edge of the rubber. The wire can be bent
to help maintain the wheel arch shape.

FORD-FRONT GRILL

UNI-FGT9
FOR FORD RANGER T9

UNI-FGT9A
FOR FORD RANGER T9

UNI-FG09X
GRILL WITH LED
FOR FORD RANGER T6
Black, Letter color:
Red/white/blk/silver

UNI-FG27LED
GRILL WITH LED
FOR FORD RANGER 2016
105x48x39cm / 10pcs

UNI-FG29
GRILL WITH LED
FOR FORD F150
146*21*49 CM
7.4 KG

UNI-RG15LED
GRILL WITH LED
FOR HILUX REVO 2015
146*21*49 CM
7.4 KG

UNI-RG15
FOR HILUX REVO 2015
103x39x24cm

UNI-VG13D
FOR HILUX VIGO 2012
109x20x30cm

UNI-RCCO18
For HILUX ROCCO 2018
110x43x24cm

UNI-G-F03LED
GRILL WITH LED
110x24x43cm

UNI-NG02LED
GRILL WITH LED
For Navara
113x33x80cm

UNI-NG06
Front Grille For Navara
Black

FORD-FRONT GRILL

UNI-CZJ001
Tirton 2019
117x30x51cm
2pcs

UNI-CZJ002
Tirton 2019
117x30x51cm
2pcs

UNI-FG34
Ranger t7
117x30x51
2pcs

4WDUNITY
ACCESSORIES
UNITY
4WD
ACCESSORIES
ELECTRIC WINCH

ELECTRIC WINCH

EW3500

Specifications

Roller fairlead,Control box,
Handle remote ,
installing screws,
Hook,gloves 12V

EW4500

Specifications

Roller fairlead,Control box,
Handle remote ,
installing screws,
Hook,gloves 12V

EW6000

Specifications

7.2mm*15m - rope,
Roller fairlead,Control box,
Handle remote ,
installing screws,Hook
-12V(pls remark if need 24v)

EW8000N

Specifications

8.3mm*24m - Rope,
Roller fairlead,Control box,
Handle remote &Wire control,
installing screws,Hook,
gloves -12V(pls remark if need 24v)

EW9500N

Specifications

9.5mm*24m - Rope,
Roller fairlead,Control box,
Handle remote &Wireless control,
installing screws,Hook,
gloves 400A Relay-12V
(pls remark if need 24v)

ELECTRIC WINCH

EW12000IN

Specifications

9.5mm*27m - rope,
Roller fairlead,Control box,
Handle remote &Wire control,
installing screws,Hook,
gloves 400A Relay-12V
(pls remark if need 24v)

EW13500N

Specifications

9.5mm*27m - rope,
Roller fairlead,Control box,
Handle remote &Wire control,
installing screws,Hook,
gloves 400A Relay -12V
(pls remark if need 24v)

EW15000

Specifications

Roller fairlead,Control box,
Handle remote &Wire control,
installing screws,Hook,gloves
400A Relay-12V
(pls remark if need 24v)

EWR17000

Specifications

Roller fairlead,Control box,
Handle remote &Wire control,
installing screws,Hook,gloves
400A Relay-12V
(pls remark if need 24v)

EW10000XT

Specifications

Roller fairlead,Control box,
Handle remote &Wire control,
installing screws,Hook, gloves
400A Relay -12V
(pls remark if need 24v)

ELECTRIC WINCH

EW10000XTS

Specifications

9.5mm*25m Grey color
DyneemaSK75 Synthetic
Rope, Roller fairlead,Control box,
Handle remote &Wireless control,
installing screws,Hook, gloves
400A Relay -12V
(pls remark if need 24v)

EW12000XT

Specifications

Roller fairlead,Control box,
Handle remote &Wire control,
installing screws,Hook, gloves
400A Relay -12V
(pls remark if need 24v)

EW12000XTS

Specifications

9.5mm*25m Grey color
DyneemaSK75 Synthetic Rope,
Roller fairlead,Control box,
Handle remote &Wireless control,
installing screws,Hook, gloves
400A Relay -12V
(pls remark if need 24v)

EW13500XT

Specifications

Roller fairlead,Control box,
Handle remote &Wire control,
installing screws,Hook, gloves
400A Relay -12V
(pls remark if need 24v)

EW13500XTS

Specifications

Roller fairlead,Control box,
Handle remote &Wireless control,
installing screws,Hook, gloves
400A Relay -12V
(pls remark if need 24v)

WINCH ACCESSORIES

QC-50A

FOR use with all ATV winches.
Will fit 2-4 gauge cable.
50 amp rating.
Heavy-duty polycarbonate plug.



QC-175A

FOR use with all 4x4
electric winches.
Will fit 2-4 gauge cable.
175 amp rating.
Heavy-duty polycarbonate plug.

BIS-N

Voltage: 12/24V
Working current: 250A
Working temperature:
-40□to +85□
Life: 100,000 times
Assy hole spacing:38mm
L×W×H: 78×66×128mm

OR-1

Output relay 400A -
(Please remark 12V or 24V)

OR-2

Output relay 200A -
(Please remark 12V or 24V)

WRC-1

Wireless Remote Controller

CBOX

contral box incluning
remote control and
wireless remote control

WRC-3

Wireless Remote Controller

UNI-SH

S Hook
black color or red color

M-P-3

Winch plate with buffering
Car model choise: FJ cruiser ,
Hilux revo , rocco, , LC150,
LC200, Tundra ,
Nissan patrol Y62

M-P-4

Winch plate
Car model choise :
pajero sport,toyota LC76/79

H-R-3

Hitch receiver
can fold

WINCH ACCESSORIES

A-F-4
New trapezoidal
Aluminum Fairlead

A-F-5
Aluminium fairlead
8000-15000lbs
“WARN”design

F-R-B
Fairlead Roller
normal model steel

F-R-BS
Fairlead Roller
stainless steel fairlead roller

L-P-F1
winch license plate
30x15.5x7cm
with protective film

L-P-F2
winch license plate
30x15.5x7cm
with protective film

L-P-F3
winch license plate
FOR Alunimium fairlead

L-P-F4
winch license plate
44x15.5cm

L-P-F5
winch license plate
FOR steel fairlead

A-F-8
wolverine aluminum fair lead

WCD-1
winch cable dampener

WAK-B2
black hand bag
smallest size : 280*245*180mm
small size: 330*210*260mm
middle size :480*330*300mm
big size : 620*320*330mm

WINCH ACCESSORIES

WH-1/4
1/4 inch Winch Hook

WH-5/16
5/16 inch Winch Hook

WH-3/8
3 / 8 inch Winch Hook

UNI-SH
S hook red

WTH-3
winch tow hook
Black color
capacity: 5.5T

W-T
Factor 55 ProLink Loaded

WTH-5
Flatlink Shackle Mount

UNI-SHB
S hook black

R-H
Tow hook ,black

A-F-1
Aluminium fairlead
3000-4500lbs
ATV Winch fairlead
/ Simple design
Material:Aluminium Alloy

A-F-2
Aluminium fairlead
8000-15000lbs
Simple design
Material:Aluminium Alloy
254mm the distance
between two holes
mounting pattern of
10'' x 4.5''(254 x 114.3)

A-F-3
Aluminium fairlead
8000-15000lbs
Simple design
Material:Aluminium Alloy
254mm the distance
between two holes
mounting pattern of
10'' x 4.5''(254 x 114.3)

WINCH ACCESSORIES

L-G
leather recovery gloves

W-C
WINCH COVER

TKS-2
Custom Recovery Kits 8pcs
1.a carry bag. 2.a Leather gloves
3.a large snatch block 8T
4.a Tree Trunk Protectors 80mmx3m
5.a Winch Extension Straps 55mmX20m
6.a Snatch Straps 7.5cm x 7metre
7.2pcs 3/4 "D" Bow shackle3

TKS-3
Premium Recovery Kits 9pcs
1. 1 carry bag.
2. 1 Snatch Block 9000,
3. 1 Leather gloves
4. 1 Tree Trunk Protectors 80mmx5m
5. 1 Winch Extension Straps 80mmX20m,
6. 1 Snatch Straps 10cm x 7metre
7. 2pcs 3/4 "D" Bow shackle,
8. 1 winch cable dampener

BS209-1
5/8 "D" Bow shackle
rated capacity 3.25
tonne,Size 5/8

BS209-2
3/4 "D" Bow shackle
rated capacity 4.75
tonne,Size 3/4

BS209-3
7/8 "D" Bow shackle
Rated capacity6.25
tonne ,Size7/8

BS209-4
Rated capacity 8T
price FOR one pcs

BS210-1
5/8 "U" Bow shackle
rated capacity 3.25
tonne,Size 5/8

BS210-2
3/4 "U" Bow shackle
rated capacity 4.75
tonne,Size 3/4

WRP-1
Winch Rubber Protector

UNI-SP1
Shackle Protector
price FOR one pair

WINCH ACCESSORIES

SB-4T
Snatch Block 4T
rated capacity 4T

SB-8T
Snatch Block 8T
rated capacity 8T

SB-9T
Snatch Block 9T
rated capacity 9T

SB-10T
Snatch Block 10T
rated capacity 10T

WINCH ACCESSORIES

Specifications

Model	TTP-8003	TTP-8005
Max.breaking stength	12000kg	12000kg
Size	80cmx3m	80cmx5m
Material	100% polyester	100% polyester
Stretch	7%	7%
Cooper ReinFORced Eyes	yes	yes
Eys & seam protector sleeves	yes	yes

Specifications

Model	WES-5520	WES-8020
Max.breaking stength	6800kg	12000kg
Size	5.5cmx20m	8cmx20m
Material	100% polyester	100% polyester
Stretch	7%	7%
Cooper ReinFORced Eyes	yes	yes
Eys & seam protector sleeves	yes	yes

Specifications

Model	SS-7507	SS-1007
Max.breaking stength	8000kg	12000kg
Size	7.5cmx7m	10cmx7m
Material	100% polyester	100% polyester
Stretch	20%	20%
Cooper ReinFORced Eyes	yes	yes
Eys & seam protector sleeves	yes	yes

Specifications

Model	SS-7509	SS-1009
Max.breaking stength	8000kg	12000kg
Size	7.5cmx9m	10cmx9m
Material	100% polyester	100% polyester
Stretch	20%	20%
Cooper ReinFORced Eyes	yes	yes
Eys & seam protector sleeves	yes	yes

WINCH ACCESSORIES

Specifications

Model	KSS1/2	KSS3/4	KSS1	KSS1-1/4	KSS1-1/2
Breaking capacity	7400lb	19000lb	33500lb	52300lb	7400lb
Size	1/2" x 15'	3/4" x 30'	1" x 30'	1-1/4" x 30'	1-1/2" x 30'
Stretch	30%	30%	30%	30%	30%

Specifications

Model	Kr1306	Kr1909	Kr2409	Kr3209	Kr3809
Breaking capacity	8370lb	18060lb	27900lb	48020lb	61700lb
Size	13mm (1/2')x6m	19mm (3/4')x9m	24mm (1')x9m	32mm (1-1/4')x9m	38mm (1-1/2')x9m
Stretch	30%	30%	30%	30%	30%

Specifications

Model	UNI-SR0095	UNI-SR010	UNI-SR012	UNI-SR014	UNI-SR020
Breaking capacity	8400kgs	9600kgs	12800kgs	17350kgs	21530kgs
Size	9.5mm*26m	10mm*26m	12mm*26m	14mm*26m	20mm*26m
Material	UHMPE	UHMPE	UHMPE	UHMPE	UHMPE

Specifications

Model	SS1035	SS1050	SS1063
Breaking capacity	14700kgs	14700kgs	14700kgs
Size	10mmx35cm	10mmx50cm	10mmx63cm
Material	UHMPE	UHMPE	UHMPE

RECOVERY TRACKS

RTK-SCB

Size:121 X 32.5 X 5.5 Cm
Color:black+Blue
Material:pp
Specification:10t
Ctn :121 X 34 X 11 Cm
Gw :7kg Per Pair

RTK8

Material:PP
Size106x32x13CM
Weight:5.60KG
Specification:10T
Color: Red / Black / orange / Blue

RTK8-NL

Material:nylon
Size:106x32x13CM
Weight:7.60KG
Specification:18T
Color: Red / Black / orange / Blue

RTK10

Material:Reinforced nylon
Size:120x28x5CM
Weight:6KG
Specification:10T
Color: Red / Black / Green

RTK11

Material:PP particles and ABS
Size:109x33x13CM
Weight:5.7KG
Specification:10T
Color: Red / Black / orange
Blue / cyan

RTK11-ST

Material:PP and stainless steel
Size:109x33x13CM
Weight:6.7KG
Specification:10T
Color: Red / Black / orange
Blue / cyan

RTK12

Material:PP
Size:109x33x13CM
Weight:5.8KG
Specification:10T
Color: Red/blue/orange/black

RTK12-NL

Material:nylon
Size:109x33x13CM
Weight:7.5KG
Specification:18T
Color: Red/blue/orange/black

S-T

1.Rubber Traction FOR recovery from Sand,Mud,Dirt and Snow.
2.Measuring 150cm x 300cm

RTK-BLK

Size: 1100*320*70mm/pc
Package:1100*340*190mm
N.W:5.92kg/pair
G.W:6.94kg/pair
Supportable Weight 2000kg
heavy duty reinFORced PP
2pcs/Carton 1pair=2 pcs

RTK2-BLK

Recovery Tracks
Size:121 x 32.5 x 5.5 cm
Color:Green,Material:PP
Specification:10 ton
load capacity on flat ground
CTN:121 x 34 x 11 cm
GW:7KG per pair

RTK3-BLK

Recovery Tracks
Size :58 x 32.9 x 6 cm(per pair)
Color : Black ,Material :PP
Specification :10 ton
load capacity on flat ground
CTN: 59 x 33 x 18 cm
GW: 3.5KG (per pair)

RECOVERY TRACKS

RTK6-BLK

Working Temperatures: 60□ to -30□
Material: UV-stabilized
automotive grade Polypropylene
Specification: 10 ton load
Package Size: 111.5 x 32 x 14cm
GW: 7.6KG per pair
Product size:1085*315*65mm per pc
Color :Black

RTK7-BLK

Working Temperatures: 60□ to -30□
Material: UV-stabilized
automotive grade Polypropylene
Specification: 10 ton load
Package Size:
105.00*10.50*34.00 per pair
GW: 6.7KG per pair
Color:Black

SL-OP-2

SAND LADDER
110x34x8 cm, capacity 4Ton ,
weight:3.5KGS

RTK-AI

Aluminum escape plate
Size1:810*205*23mm
Size2:660*205 *23mm
Size3:500*205*23mm

TOW ANCHOR POINT

UNI-4WD-001

Synthetic Shackle
10mmx35cm
rated capacity 8T

UNI-4WD-101

2"x3" 3500LBS
1-7/8"x2-1/2" 2000LBS
1-7/8"x2" 2000LBS

UNI-4WD-002

2" X1"X2-1/8" 6000LBS
1-7/8"X1"X2-1/8" 2000LBS

UNI-4WD-003

Fits all 2" hitch bars
with rated 4.75T D-ring

UNI-4WD-005

Pick up rope hook
Material:ZG45

UNI-4WD-006

Tow hook Material:ZG45

UNI-4WD-007

Pin and Hitch Size:5/8 " V

UNI-4WD-010

receiver with ears

UNI-4WD-011

Tow Hook capacity:5t
Material:ZG45

UNI-4WD-012

universal , Tow Hook
capacity:5t Material:ZG45

TOW HOOK SERIES

B-M-2B
Synthetic Shackle
10mmx35cm
rated capacity 8T

T-C
2"x3" 3500LBS
1-7/8"x2-1/2" 2000LBS
1-7/8"x2" 2000LBS

H-B
2" X1"X2-1/8" 6000LBS
1-7/8"X1"X2-1/8" 2000LBS

BS-4
Fits all 2" hitch bars
with rated 4.75T D-ring

PURH
Pick up rope hook
Material:ZG45

R-H
Tow hook Material:ZG45

PAH-1
Pin and Hitch Size:5/8 " V

PAH-2
Hitch locker Size:5/8 "

RCV
Receiver Material:ZG45
capacity:5T

UNI-RWE
receiver with ears

T-H-1
Tow Hook capacity:5t
Material:ZG45

T-H-2
universal , Tow Hook
capacity:5t Material:ZG45

TOW HOOK SERIES

T-H-3
universal,Tow Hook
with Ball capacity:8t
Material:ZG45

T-H-4
universal,Tow Hook
with Ball capacity:8t
Material:ZG45

T-H-5
universal,Tow Hook
with Ball capacity:8t
Material:ZG45

T-H-6
universal,Tow Hook
with Ball capacity:8t
Material:ZG45

T-H-7
universal,with Ball
capacity:8t
Material:304
stainless steel

T-H-8
universal,Tow Hook
with Ball capacity:8t
Material:ZG45

T-H-10
long model Tow Hook
universal,with Ball,
capacity:8t
Material:ZG45

T-H-11
Short model Tow Hook
universal,with Ball,
capacity:8t
Material:ZG45

UNI-BM
adjustable Tow Hook
Material:304 Stainless steel ,
with polished Surface Treatment ,
Adjustable Size:between 2--8 inch

ACCESSORIES

ROOF TOP TENT

TENT AND CAMPING

RTT-1

OxFord/(280g polyester-cotton)
(color:Beige)
6cm thickness high quality
cushion
Unfolding Size: 240*143*126CM
Packing Size: 150*125*30CM
Inner size:233*140*123cm
ladder:2.3m

RTT-2

OxFord/(280g polyester-cotton)
(color:Beige)
6cm thickness high quality
cushion as picture
Unfolding Size:310* 143*126CM
Packing Size: 150*125*30CM
Inner size:300*140*123cm
ladder:2.3m

BAW-2

Back Awningfor RTT-2

BAW-1

Back Awningfor RTT-1

RTT-16A

Fly: 420D Polyester OxFord
PU 1500mm,W/P,W/R
Body: 280g Polyester-Cotton
PU 1500mm,W/P, W/R
Cover: 420D Polyester
Zipper: Resinic Zipper
Packing Size:165*125*30CM
G.W.: 66KG

RTT-16B

Fly: 420D Polyester OxFord
PU 1500mm,W/P,W/R
Body: 280g Polyester-Cotton
PU 1500mm,W/P, W/R
Cover: 420D Polyester OxFord
coated with PVC
Packing Size:165*125*30CM
in carton G.W.:75KG

RTT-19A

Fly: 420D Polyester OxFord PU
1500mm,W/P,W/R
Body: 280g Polyester-Cotton
PU 1500mm,W/P, W/R
Cover: 420D Polyester OxFord
coated with PVC
Packing Size:195*125*30CM
G.W.: 76KG

RTT-19B

Fly: 420D Polyester OxFord
PU 1500mm,W/P,W/R
Body: 280g Polyester- otton
PU 1500mm,W/P, W/R
Cover: 420D Polyester OxFord
coated with PVC
Packing Size:195*125*30CM
G.W.: 85KG

RTT-7

OxFord/(280g polyester-cotton)
(color: green and beige)
6cm thickness high quality cushion
Unfolding Size: 240*143*126CM
Packing Size: 150*125*30CM
Inner size:233*140*123cm
Ladder:2.3m

RTT-8

hydraulic tent
Cover: FiberGlass
Body: 280g Polyester-Cotton
PU 3000mm,W/P, W/R
Zipper: Resinic Zipper
Open Size: 210x210x125cm
G.W.: 73KG N.W:68KGS

TENT AND CAMPING

Aw-3

Side Awning:180x280cm

Aw-4

Applyonsedans,van,microbus,4WD
vehicle
The surface of main body of awning
is
made from arri sveins frabic
which can resist strong sunlight
Unfolding Size:220X300CM
Packing Size:56X18X18CM

Aw-5

Apply on sedans,van
microbus,4WDvehicle
The surface of main body of awning
is made from arris veins frabic
which can resist strong sunlight
Unfolding Size:220X300CM
+220X300CM
Packing Size:56X18X18CM

B-R-1

foldable car side shower room

FAW-2020

200cm*200cm Foxwing Awning

FAW-2525

250cm*250cm Foxwing Awning

FAR-2020

200cm*200cm
Foxwing awning Room

FAR-2525

250cm*250cm
Foxwing awning Room



T-L-1

2.3M tent ladder adjustable,
aluminum

FAW-2525NA

free standing 270 fowxing awning.
Material: 600D OxFord Fabric Beige
color size: 2.3m

LEDS-WH

Power your lights with AC Adaptor,
car battery or cigarette lighter.
With all the accessories you need.
Magnetic connection to steel material
In a Bag with carry handle and
zipper.

LED120-WH

Awning LED Light Kit (white)

AWNING AND ROOM

Specifications

AI-2020	200*200cm Automatic Awning Tent
AI-2025	200*250cm Automatic Awning Tent
AI-2030	200*300cm Automatic Awning Tent
AI-2525	250*250cm Automatic Awning Tent
AI-2530	250*300cm Automatic Awning Tent

Specifications

AI-SC20	200*200cm Automatic Awning Tent
AI-SC25	200*250cm Automatic Awning Tent
AI-SC-30	200*300cm Automatic Awning Tent

Specifications

AI-SD20	200*200cm Automatic Awning Tent
AI-SD25	200*250cm Automatic Awning Tent

FAW-R20
radius 2m
Open size:270°
Fabric:600D Oxford fabric

FAR-R20-420D
radius 2m
Open size:270°
Fabric:420D Oxford fabric

FAW-R20L
radius 2m with LED lamp
Open size:270°
Fabric:600D Oxford fabric

FAW-R20B-180
radius 2m with LED lamp
Open size:180°
Fabric:600D Oxford fabric

FAW-R25
radius 2.5m
Open size:270°
Fabric:600D Oxford fabric

FAR-R25-420D
radius 2.5m
Open size:270°
Fabric:420D Oxford fabric

FAW-R25L
radius 2.5m with LED lamp
Open size:270°
Fabric:600D Oxford fabric

FAW-R20B-270
radius 2m with LED lamp
Open size:270°
Fabric:600D Oxford fabric

AWNING AND ROOM

Specifications

EF-2025	2.0x2.5m Extension Fabic
EF-2525	2.5x2.5m Extension Fabic

Specifications

M-N-2020	Mosquito Net fit 200*200cm awning
M-N-2520	Mosquito Net fit 250*200cm awning
M-N-2525	Mosquito Net fit 250*250cm awning
M-N-2530	Mosquito Net fit 250*300cm awning

Specifications

AWR-2025	walls of rooms that fit 200*250cm awning
AWR-2525	walls of rooms that fit 250*250cm awning
AWR-2520	walls of rooms that fit 250*200cm awning
AWR-2520	walls of rooms that fit 250*200cm awning,with pvc bottom
AWR-2020	walls of rooms that fit 200*200cm awning
AWR-2020	walls of rooms that fit 200*200cm awning,with pvc bottom
AWR-2030	walls of rooms that fit 200*300cm awning
AWR-2030	walls of rooms that fit 200*300cm awning,with pvc bottom
AWR-2530	walls of rooms that fit 250*300cm awning
AWR-2530	walls of rooms that fit 250*300cm awning,with pvc bottom

Aw-1520
Awning-150*200cm
Material: 420D

Aw-1525
Awning-150*250cm
Material: 420D

Aw-2020
Awning-200*200cm
Material: 420D

Aw-2025
Awning-200*250cm
Material: 420D

Aw-2030
Awning-200*300cm
Material: 420D

Aw-1520-G
Awning-150*200cm
Material: 280G

Aw-1525-G
Awning-150*250cm
Material: 280G

Aw-2020-G
Awning-200*200cm
Material: 280G

Aw-2025-G
Awning-200*250cm
Material: 280G

Aw-2030-G
Awning-200*300cm
Material: 280G

TENT AND CAMPING

RTT-10

RTT-10

RTT-11

Tri-angle shape Roof top
tent.fold:210x130x28cm
OPEN:210x130x150cm
GW:78KG

RTT-12

Raised Bracket Triangular Tent
280G polyester-cotton (plaid)
210X130X21CM
210X130X145CM
8KG net weight

RTT-13

Hardtop automatic roof tent
Fabric: 300D polyoxford
Frame : aluminium alloy frame
Size : 2220mm*W1350mm*H230mm
Net weight : 65kg

Single-room tents

Multiple-room tents

OUTDOOR EQUIPMENT

BR

Bath room
120*120*190CM Material 90T

BR-N

New style bath room

SS

Shower set

W-B-8

Water bag-8L

T-G

Tire gauge

LT01

Tire table
Maximum load 100KG
Folded size: 70*50*12cm GW: 5KG
Material: Steel
With storage bag

UNI-XP02

sucker

UNI-XP01

sucker

BRS-96G/D

a foldable kitchen ideal FOR
outdoor cooking
fold:448*305*306mm
fold:448*305*306mm

T-A-1

Aluminium
Picnic table:70*70*70CM

OUTDOOR EQUIPMENT

4-1-K
4 IN 1 Knife Knife / Saw /
Axe / bottle opener



SV-1
Spare wheel shovel / stainless
steel

SS-84
New Shovel 85CM LONG

SS-96
New Shovel 96CM LONG

SV-4
SIZE:Unfold:60cm
Width:15cm

BK
SIZE:23*10cm
volum:9L

MOS-1
Multifunctional Shovel-1
20 kinds of function

TD
Tire Deflator

RK
Peedy Seal Puncture
Repair Kit

SBB-20/40
Solat bath bag,20L
Solat bath bag,40L

BAG-100-BL
Blue 100g sleeping bag
Blue, Dark blue, Green, Red
100g&200g&300g

SPACE CASE

UNI-HFR095V3P
95L/Rotational plastic storage box

UNI-RTB220
Spacer Case 220L
Outside-size :
1070*630*492 (mm),
Inner-size : 970*550*430(mm)
Green/Gray/Blue



UNI-TB03
After the car bucket sidepods

UNI-TL110
110L/Rotational plastic storage box

UNI-RTB150
Spacer Case 150L
Outside-size :
880*560*440 (mm),
Inner-size : 810*490*405(mm)
Green/Gray/Blue

UNI-TB02
Color:orange and black
Volume:200L
Size:1394*555*513MM The
material:PE+Aluminum+Iron

UNI-RTB05
Spacer Case 50L
Outside-size :
630*390*350 (mm),
Inner-size: 570*300*290(mm),
Green/Gray/Blue

UNI-RTB07
Spacer Case 70L
Outside-size :
700*450*350 (mm),
Inner-size : 630*380*300(mm)
Green/Gray/Blue

UNITY 4WD WATER TANK

JERRY CAN

WATER TANK & JERRY CAN

UNI-RRW-30L

Capacity:30L Gross Weight: 9.5KG
material: Aluminum alloy.
Build-in plate with anti-wave design.
1: Universal bracket
2: a shower set
3: one water pipe of 10 meters
4: One portable air pump
Product size: 140*22*18CM

UNI-RRW-27L

Capacity: 27L Gross Weight: 6.5KG
material: Aluminum alloy.
Accessories:
1: Universal bracket
1: a shower set
2: one water pipe of 5 meters
3: One portable air pump
Product size: 110*18*22CM

UNI-PRRW-30L

Material: LLDPE (Food Grade)
Product size: 1620*212*151mm
Capacity: 30L
Accessories included:
1. accessory kit for fixation
2. Shower set
3. water pipe

UNI-ARRW-30LB

30L aluminium Roof top water tank



JERRY CAN

UNI-G5B

Material: High density polymer
Color: black
Size: 338x340x84mm
Weight: 1300 gr.
Designed for all types of liquids

UNI-G5R

Material: High density polymer
Color: red
Size: 338x340x84mm
Weight: 1300 gr.
Designed for all types of liquids

UNI-G11B

Material: High density polymer
Color: black
Size: 434.5x340x120mm
Weight: 1900 gr.
Designed for all types of liquids

UNI-G11R

Material: High density polymer
Color: red
Size: 434.5x340x120mm
Weight: 1900 gr.
Designed for all types of liquids

UNI-G21B

Material: High density polymer
Color: black
Size: 725.5x340x120mm
Weight: 3000 gr.
Designed for all types of liquids

UNI-G21R

Material: High density polymer
Color: red
Size: 725.5x340x120mm
Weight: 3000 gr.
Designed for all types of liquids

UNI-E10

Material: High density polymer
Size: 550x300x85mm
Throat diameter: 50mm
Weight: 1500 gr.
Designed for all types of liquids

UNI-E20

Material: High density polymer
colour:orange
Size: 830x350x80mm
Throat diameter: 50mm
Weight: 2500 gr.
Designed for all types of liquids

JC-P10

Plastic Jerry Cans-10L
10L VOLUME
Material:Plastic
Different Color

JC-P20

Plastic Jerry Cans-20L
20L VOLUME
Material:Plastic
Different Color
Size:86*33*10cm
Can be used as Sand ladder

JC-P30

Plastic Jerry Cans-30L
30L VOLUME
Material:Plastic
Different Color

UNI-JC-N15

Jerry can
30L VOLUME(15L+15L)
Material:Plastic
Different Color Spiral connect

JERRY CAN

JC-JN10
Plastic Jerry Cans-10L
20L VOLUME(10L+10L)
Material: Plastic
Different Color Spiral connect

JCUE-5
Iron Jerry Cans
Commodity:5L spout jerry can
Material:DC4 Cold-roll steel heet
Wall thickness:0.8mm
Different Color FOR choose
power coated

JCU-10
Iron Jerry Cans USA model
Commodity:10L spout jerry can
Material:DC4 Cold-roll
steel sheet;
Wall thickness:0.8mm
Different Color FOR choose
power coated

JCU-20
Iron Jerry Cans USA model
Commodity:20L spout jerry can
Material:DC4 Cold-roll
steel sheet
Wall thickness:0.8mm
Different Color FOR choose
power coated 45x34x16cm

JCUE-10
Iron Jerry Cans
Commodity:10L spout jerry can
Material:DC4 Cold-roll steel sheet
Wall thickness:0.8mm
Different Color FOR choose
power coated

JCUE-20
Iron Jerry Cans
Commodity:20L spout jerry can
Material:DC4 Cold-roll steel sheet
Wall thickness:0.8mm
Different Color FOR choose
power coated

JCE-10
Iron Jerry Cans EURO Model
Commodity:10L spout jerry can
Material:DC4 Cold-roll steel sheet
Wall thickness:0.8mm
Different Color FOR choose
power coated

JCE-20
Iron Jerry Cans EURO Model
Commodity:20L spout jerry can
Material:DC4 Cold-roll steel sheet
Wall thickness:0.8mm
Different Color FOR choose
power coated

JCS-5
STAINLESS STEEL
JERRY CANS
5L stainless steel jerry can
(Inner includes one
plastic oil spout)
Material:stainless steel 304
Wall thickness:0.8mm

JCS-10
STAINLESS STEEL
JERRY CANS
10L stainless steel jerry can
(Inner includes one
plastic oil spout)
Material:stainless steel 304
Wall thickness:0.8mm

JCS-20
STAINLESS STEEL
JERRY CANS
20L stainless steel jerry can
(Inner includes one
plastic oil spout)
Material:stainless steel 304
Wall thickness:0.8mm

JCH-1
Jerry can holder

JERRY CAN

JCM-20
Mounting FOR Jerry Can
Jerry Can FOR 10L,20L,30L
2pcs FOR 1 Jerry can

JCM-30
Mounting FOR Jerry Can
Jerry Can FOR 30L
Price FOR 1pcs

UNI-K-KE
Mounting FOR Jerry Can "Extreme
Mount FOR Jerry Can Extreme
5, 7, 10, 15, 20 liters
On the Top have recess
FOR pulling the lid cans

UNI-KP-KE
Middleware Mounting
FOR Jerry Can "Extreme
Mount FOR 2 or more Jerry Cans
5, 7, 10, 15, 20 liters.
One to one.On the Top have
recess FOR pulling the lid cans

JCM-35
Mounting FOR Jerry Can
Mount FOR Jerry Can 3L,5L

UNI-LK-01
Fuel tank installation pieces

STB-1
JERRY CAN HOLDER Bracket
Steel material
Universal mounting options
Powder coated
FOR long lasting corrosion
resistance

JCM-10
Mount FOR Jerry Can 10L

K-KG
Mounting FOR Jerry Can
Mount FOR Jerry Can 3L,5L

Volume	Size	Packing	Net Weight	Rough Weight
1GAL/3.8 L	217X100X342	230X115X355	1.1 KG	1.4 KG
2GAL/7.5 L	343X90X436	355X105X450	1.6 KG	2 KG
3GAL/11.3 L	343X130X436	355X145X450	2 KG	2.5 KG
5GAL/18.9 L	343X100X876	355X115X890	3.1 KG	3.8 KG
8GAL/30.2 L	343X150X876	355X165X890	4 KG	4.9 KG



Applications:
JEEP JK
JEEP JL
Prado
4Runner
tundra
Toyota FJ
Defender 90
new defender 110
F150 Raptor
NEW F150 Raptor
LC100
LC200
Old dodge Ram
Patrol Y62
Navara
Hummer H2
discovery 3
discovery 4
discovery 5
pajero v93
pajero v97
Cannon-X
Beijing B40P
Tank 300
Benz G
NEW Benz G
Benz 350D
Benz 350P
H9 2020

AUXILIARY OIL TANK

Working principle of auxiliary fuel tank. Use the oil pump switch to control the auxiliary oil tank, draw oil from the auxiliary oil tank to the main oil tank, and stop the pump after the auxiliary oil tank is emptied. The main oil tank is full, and if there is oil in the auxiliary oil tank, manually turn off the pump

Reliable and durable,High quality materials ensure firm and safe use of the box

Large capacity,Provide as much fuel reserves as possible for long-distance travel

Space saving,Does not occupy the interior space of the vehicle. The installation position is fixed and does not shake when driving

Convenient to use,Individual oil pump switch control. Easy Shuttle

WORKING PRINCIPLE OF AUXILIARY FUEL TANK

Use the oil pump switch to control the auxiliary oil tank, draw oil from the auxiliary oil tank to the main oil tank,

and stop the pump after the auxiliary oil tank is emptied. The main oil tank is full, and if there is oil in the auxiliary oil tank, manually turn off the pump

4WDUNITY
ACCESSORIES
UNITY
4WD
ACCESSORIES
4X4 BUMPER

4X4 BUMPER SERIES

Bumper For Lc150

Bumper For Np300

Bumper For Hilux 2021+

Bumper For Hilux 2021+

Bumper For 4runner 5gen

Bumper For 4runner 5gen

Bumper For Ranger 2022+

Bumper For Ranger 2022+

Bumper For Lc100

Bumper For Jimny 2018+

Bumper For Lc80

Bumper For D22

4X4 BUMPER SERIES

UNI-0512FC
TOYOTA VIGO 05-12
Front Bumper

UNI-FRT7-FB
Ford Ranger T7/T8
WITH LAMP & STONE GUARD
SIZE:190*85*40CM 55KG

UNI-3076
TOYOTA LC80 Front Bumper
SIZE:191*70*60CM 49KG

UNI-ROC-FG
Toyota hilux rocco
2019+ FRONT BUMPER
size□185*60*45CM 50KG

UNI-3842
TOYOTA PRADO FJ 120-2003
WITH LAMP & STONE GUARD
SIZE:185*60*45CM 55KG

UNI-3794 A
FRONT BUMPER FOR
TOYOTA FJ CRUISER
SIZE:195*70*70CM 58KG

UNI-3493
FRONT BUMPER FOR
TOYOTA FJ CRUISER
SIZE:195*70*70CM 58KG

UNI-2718A
REAR BUMPER FOR
TOYOTA FJ CRUISER
SIZE:175*40*70CM 72KG

UNI-Revo-FG
TOYOTA HILUX VIGO 2015+
WITH LAMP & STONE GUARD
SIZE:185*60*45CM 50KG

UNI-FRT7-FA
Ford Ranger T7/T8
WITH LAMP & STONE GUARD
SIZE:190*85*40CM 55KG

UNI-FRT7-RA
FOR Ranger T7

UNI-FRT9-F
RANGER T9 2022+
FRONT BUMPER With lamp

SIDE STEP SERIES

UNI-FRT9-RA
RANGER T9 2022+
REAR BUMPER With lamp

UNI-FRT9-RB
RANGER T9 2022+
Asia Pacific Back Bar

UNI-FRT9-RC
RANGER T9 2022+
REAR BUMPER With lamp

UNI-3964
NISSAN PATROL Y61
(2005-present)
SIZE:175*30*40CM 60KG

UNI-Y60-FD
NISSAN SAFARI / PATROL Y60
(87-96) Front Bumper

UNI-Y61-RB
Y61 REAR BUMPER
(W/ 2 TYRE HOLDER)
size: 198*90*25CM 60KG

UNI-Y62-FA
Nissan Y62 Front BumperSteel
SIZE:195*70*70CM 58KG

UNI-Y62-RA
Y62 REAR BUMPER
(Fuel tank bracket +tyre holder)
SIZE:198*90*25CM 60KG

SIDE STEP SERIES



UNI-SSLC79
Toyota LC79 Side Step 2007+
With Bush Bar

UNI-SSTV12
Toyota Hilux VIGO Side Step
2012-2015 With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM

UNI-SSFR12-1
Ford RANGER Side Step
2012-2015 With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM

UNI-SSNGU123
Nissan Patrol Y61 GU1-3
Side Step With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM

UNI-SSNGU4
Nissan Patrol Y61 Gu4
Side Step With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM

UNI-SSND22
Nissan Navara D22 Side Step
With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM

UNI-SSLC80
Toyota LC80 Side Step
With Bush Bar
Material: Steel
Plate:3.0MM
step Bar:1.5MM

UNI-LC100
Toyota LC100 Side Step
With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM

UNI-SSLC105
Toyota LC105 Side Step
With Bush Bar
1998-2007"
Material:Steel
Plate:3.0MM
step Bar:1.5MM

UNI-SSFJD
Toyota FJ Cruiser Side Step
Material:Steel
Plate:3.0MM
step Bar:1.5MM

UNI-SSLC150
Toyota LC150 Side Step
With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM

UNI-SSLC200
Toyota LC200 Side Step
With Bush Bar
Material:Steel
Plate:3.0MM
step Bar:1.5MM

SIDE STEP SERIES

UNI-SSTFD
Toyota Fortuner Side step

UNI-SSLC100D
LC100 Side step

UNI-SSLC120D
LC120 Side step

UNI-SSLC150D
LC150 Side step



UNI-SSLC200D
LC200 Side step

UNI-SSFJD
FJ Cruiser Side Step

JT-ST01
Spare tire step

T-38
Tire step / truck step ladder

UNI-SS-TT06
Toyota Tundra Side Step2006-2021

UNI-SS-TT22
Toyota Tundra Side Step2022

UNI-SS-VG12
Toyota Hilux VIGO Side Step2012-2014

UNI-SS-RV15
Toyota Hilux REVO Side Step2015-2021

SIDE STEP SERIES

UNI-SS-FT18
Toyota FORTUNNER Side Step2018-2021

UNI-SSF150-09
Ford F150 2009-2019

UNI-SSF150-15
Ford F150 2015-2021

UNI-SS-RG12
Ford Ranger 2012-2021

UNI-SS-RG12A
Ford Ranger 2012-2021

UNI-SSRG-T9
Side Step

JT-1
Universal Side Step

4X4 ROOF RACK

RRS-AS220
Roof Rack
(Assemble Model)
Steel
220x125cm

RRA-AS220
Roof Rack
(Assemble Model)
Aluminium
220x125cm

RRS-RY135
Roof Rack
(Assemble Model)
Steel,135x125cm

RRA-RY135
Roof Rack
(Assemble Model) Steel
135x125cm

RRS-RY180
Roof Rack
(Assemble Model) Steel
180x125cm

RRA-RY180
Roof Rack
(Assemble Model) Steel
180x125cm

RRS-RY220
Roof Rack
(Assemble Model) Steel
220x125cm

RRA-RY220
Roof Rack
(Assemble Model) Steel
220x125cm

UNI-TWMP
TRAY WITH MUD
PLATE+ REMOVABLE REAR
LADDER RACK+DRAWER+2
TOOL BOXES

FGJ-TY
Universal adjustable roll bar
Removable and assembled

FGJ-TY1
It's fitted to all kinds of
Pickup trucks ,
no matter large,
medium or small sized Pickup .



FGJ-TY2
Toyota Hilux VIGO /
Toyota Hilux REVO /
Mitsubishi Triton /
ISUZU DMAX /
Ford Ranger /
NISSAN NAVARA

4X4 ROOF RACK

RRA-RPL135
Roof Rack(Assemble Model)
Aluminium (BRACKET
IS STEEL MATERIAL)
Size:135x125cm

RRA-PRL135-01
Roof Rack (Assemble Model)
Aluminium
Size:135X142.5cm

RRA-RPL160
Roof Rack (Assemble Model)
Aluminium
Size:160*142.5cm

RRA-RPL180
Roof Rack (Assemble Model)
Aluminium (BRACKET
IS STEEL MATERIAL)
Size:180x125cm"

RRA-RPL220
Roof Rack (Assemble Model)
Aluminium (BRACKET
IS STEEL MATERIAL)
Size:220x125cm

RRA-RPLJK
jeep wrangler JK 4Door is special
Roof Rack (Assemble Model)
Aluminium(BRACKET
IS STEEL MATERIAL)
Size:220x142.5cm

RRA-RPLJL
jeep wrangler JL 4Door is special
Roof Rack (Assemble Model)
Aluminium (BRACKET
IS STEEL MATERIAL)
Size:220x142.5cm

RRA-RPLY62
Nissan Y62 is special
Roof Rack (Assemble Model)
Aluminium (BRACKET
IS STEEL MATERIAL)
Size:220x142.5cm



RRA-RPLLC100
TOYOTA LC100 is special
Roof Rack (Assemble Model)
Aluminium (BRACKET
IS STEEL MATERIAL)
Size:220x142.5cm

ARR-RBK
ROLLER BRACKET

ARR-FTB
FUEL TANK BRACKET

ARR-SJH
SHOVEL AND JACK HOLDER

4X4 ROOF RACK

RRS-1/RRA-1
6117 Roof Rack
Steel or Alunimium
125/180/220x125

RRS-2
6114 Roof Rack
Steel or Alunimium
125/180/220x125

RRS-3
6113 Roof Rack
Steel or Alunimium
125/180/220x125

RRS-5/RRA-5
6115 Roof Rack
Steel or Alunimium
125/180/220x125

RRS-7/RRA-7
6022 Roof Rack
Steel or Alunimium
125/180/220x125

RRS-8/RRA-8
6024 Q2 Roof Rack
Steel or Alunimlum
125/180/220x125

RRS-9/RRA-9
6142 Roof Rack
Steel or Alunimium
125/180/220x125

RRS-10
2.2x1.25m Roof Rack
Steel or Alunimium
125/180/220x125

4X4 ROOF RACK

ARR-SPB
SAND PLATE BRAKET
(WITH ROPE)

ARR-LEB
LIFTING EYEBOLT (8 PCS)

ARR-MPT
Ladder FOR Alumnium
Multifunctional Flat rack

ARR-STB
SIDE TENT BRACKET



ARR-LBM
LIGHT BRACKET

ARR-SG135
Side guardrail

ARR-SG180
Side guardrail

ARR-SG220
Side guardrail

RRS-AS135
Roof Rack
(Assemble Model) Steel,
135x125cm

RRA-AS135
Roof Rack
(Assemble Model)
Aluminium,135x125cm

RRS-AS180
Roof Rack
(Assemble Model) Steel
180x125cm

RRA-AS180
Roof Rack
(Assemble Model)
Aluminium
180x125cm

4X4 ROOF RACK

Laser Bracet
4x4 Roof Rack50"x39



JB XWA3/4
4x4 CargoNet
size:130x110cm
size:160x110cm

M-B
Mounting Bracket FOR
Jeery can,only FOR
Unity Roof Racks

Bracket
Sand Ladder Bracket

RB-S
Rack Bag
SIZE:1100x800x460mm



RRS-FJ
180 steel with Laser cut bracket
180 aluminium with Laser cut bracket
220 steel with Laser cut bracket
220 aluminium with Laser cut bracket

Roof Rack Braket
15CM/20CM/25CM/29CM



4X4 Roll Bar

UNI-FGJ01-A

Roll bar + storage box combination
Main material: T6063 aluminum alloy
Storage box material: LDPE plastic
Capacity 130L/piece
Applicable reference models:
Truck bed length exceeds 1.5 meters
Such as F150 , Tacoma, Tundra
other medium and large pickups

UNI-FGJ01-B

Roll bar + reinforced side beam
All T6063 aluminum alloy material
2 reinforced side beams,
net weight 8 kg
Dimensions 1630*1780*570MM
The length of the side beam can be
adjusted, suitable for all pickups

UNI-FGJ02-A

Roll bar + storage box combination
Main material: T6063 aluminum alloy
Storage box material: LDPE plastic
Assembly dimensions are:
1630*1780*570MM
Applicable reference models:
Truck bed length exceeds 1.5 meters
Such as F150 , Tacoma, Tundra

UNI-FGJ02-B

Roll bar + reinforced side beam
All T6063 aluminum alloy material
The net weight of roll bar: 37 kg
2 reinforced side beams,
net weight 8 kg
Dimensions 1630*1780*570MM;
The length of the side beam can
be adjusted, suitable for all pickups

UNI-FGJ01-AS

Storage box material: LDPE plastic
Capacity 95L/piece
Applicable reference models:
Small and medium Truck with
bed length less than 1.5 meters



UNI-FGJ01-C

Roll bar + Tool boards(*2)
Main material: T6063 aluminum allo
adjustable Tool board material: Q235
Dimensions: 1630*1780*570MM
For Bed length exceeds 1.5 meters
use Large Expansion Tool Board
If less than 1.5m
use small expansion tool board

UNI-FGJ02-AS

Roll bar + storage box combination;
Main material: T6063 aluminum alloy
Storage box material: LDPE plastic
Assembly dimensions are:
1320*1780*570MM;
Applicable reference models:
Small and medium Truck with
bed length less than 1.5 meters

UNI-FGJ02-C

Roll bar + Tool boards(*2)
Main material: T6063 aluminum alloy
adjustable Tool board material: Q235
Applicable reference models:
For Bed length exceeds 1.5 meters
use Large Expansion Tool Board
If less than 1.5m
use small expansion tool board

UNI-LMJ-15

Pickup roll cage

UNI-LMJ-16

Pickup roll cage

UNI-LMJ-17

Pickup roll cage

4X4 ROOF RAIL

Anti-corrosion, anti-rust, and durable.No drilling/cutting. Easy to install.Stands up for harsh weather.Completely benefit your travelling life.Load a wide variety of cargo such as luggage, bags, carriers, or containers and special items such as bikes, kayaks, canoes, and skis.

UNIVERSAL ROOF RAIL

PICKUP TRAY CANOPY

Working principle of auxiliary fuel tank. Use the oil pump switch to control the auxiliary oil tank, draw oil from the auxiliary oil tank to the main oil tank, and stop the pump after the auxiliary oil tank is emptied. The main oil tank is full, and if there is oil in the auxiliary oil tank, manually turn off the pump



MORE PICKUP TRAY CANOPY

Jack & Lift

FJ-48 / FJ-60

CE CERTIFICATE" 48'' & 60"
high lift with 7000lbs capacity

B-L

Bumper lift
The Bumper Lift has a
3,000lb (1361 kg) capacity

L-M-1

Lift-mate
Material:Manganese
Steel,Tetoron, Nylon
Size:9cm*13cm*29cm
weight:2kg

ORC

Off-Road Base
Nylon ABS,32x32x10cm

FJM-1

Farm Jack Mount
fix the farm jack on the rear
tyre coverwithout any logo
/ Aluminium material

FJM-2

Farm Jack Mount
fix the farm jack on the rear
tyre cover without any logo
/ Steel material

FJM-3

lift jack tube mount -2'' -3''
adjustable alunimum material

RRM

RRM-1 / RRM-2

JP-48 / JP-60

Hi-Lift Jack Protector
Fits 48" & 60" Hi-Lift Jacks.
Soft case easily stores.
Draw string closure

HK

Handle-Keeper
The Handle-Keeper easily
slips on and off over the Hi-Lift.
Fits all models of Hi-Lift jacks

EJ-4

exhaust jack capacity:4tonne

AIR COMPRESSOR SERIES

UNI-116

Air pressure : 150 PSI
Cylinder diameter: double 30 mm
Air hose: 5 meters long
high quality PU air hose Power cord: 3
meters cord with battery clamp
Accessoreis : 2 nozzle adapters and 1
sports
needleOutput volume: 60 L/MIN
Max voltage : 13.8 Volt
with carry bag

UNI-119

DC 12V 100psl /150PSL 150l/m
Air compressor c/w :2*Allay steel
Cylinder blacks w/150 l air flow
Deliation valve 40mm(Dia)silver coated
body
Twin Plastic filters w/Metal Screw
Overload 50A w/The in-Lined Fuse
Inflater Nozzle Kit

UNI-127

Inflate ordinary car tyre in 3min(>30psi)
Heavy duty air compressor
Voltage:DC 12V or 24V
Max duty cycle: 40minutes
Rated current:45A
Air hose:0.4 hose+7m PA hose
Cylinder diameter:60mm
Cord: 2m
Max pressure: 150PSI
3nozzle adaptors ,with carry bag
One year warranty 160l/m

UNI-10215

Inflate ordinary car tyre
in 3min(>30psi) Heavy
duty air compressor
Voltage:DC 12V
Max duty cycle: 40minutes
Rated current:90A
Air hose:0.4 hose+7m PA hose
Cylinder diameter:60mm
Cord: 2m ,Max pressure: 150PSI
3nozzle adaptors
with carry bag ,One year warranty

UNI-102-15BR

Inflate ordinary car tyre
in 3min(>30psi) Heavy
duty air compressor
60mm cylinder
Voltage:DC 12V or 24V
Tank: 8L ,Rated current:60A
Fill Rate(8L Tank): 0-120psi 50Sec.
/ 80-120psi 25Sec.
Max duty cycle: 30minutes ,Air hose : 5m
PU
Max pressure: 200PSI ,One year warranty

UNI-102-5G

Inflate ordinary car tyre in 3min(>30psi)
Heavy duty air compressor
Voltage:DC 12V or 24V
Rated current:30A
Cylinder diameter:40mm
Cord: 2m
Max pressure: 150PSI
Max duty cycle: 40minutes
3nozzle adaptors ,with carry bag
One year warranty

UNI-102-6G

Inflate ordinary car tyre in 3min(>30psi)
Heavy duty air compressor
Voltage:DC 12V or 24V
Rated current:50A
Cylinder diameter:40mm
Cord: 1.8m
Max pressure: 150PSI
Max duty cycle: 40minutes
3nozzle adaptors
with carry bag
One year warranty

WHEEL RIM

Size	PCD	Max offset		CB	Venthole
15x7	5-139.7	10	-35	111	8spoke
	6-139.7	10	-35	111	8spoke
	5-114.3	10	-35	84	8spoke
	6-139.7	18	-15	108.7	8spoke
	6-170	18	-15	133.3	8spoke
	5-139.7	18	-15	108.5	modular&rivet
	5-114.3	18	-15	75	8modular
	6-139.7	18	-15	108.7	8spoke
	5-114.3	18	-15	84	8spoke
15x8 16x8	5-114.3	10	-50	84	8spoke
	5-139.7	35	-30	108.5	modular&rivet
	6-139.7	35	-30	110	8spoke
	5-139.7	35	-30	110	8spoke
	5-114.3	35	-25	83.7	8spoke
	6-139.7	35	-30	111	8spoke
	5-139.7	35	-30	108	10D-window
	5-139.7	35	-30	108	5spoke&rivet
	5-139.7	35	-30	108.7	8spoke
15x10	5-139.7	40	-44	111	8spoke
	6-139.7	40	-44	111	8spoke
	5-114.3	40	-44	84	8spoke
	5-139.7	60	-44	108.5	modular&rivet
	6-139.7	60	-44	110	8spoke
	8-165.1	0	-44	125	8spoke
16x10	5-139.7	20	-50	111	8spoke
	6-139.7	20	-50	111	8spoke
	5-139.7	35	-30	110	10 D-window
	5-139.7	35	-30	110	10modular&rivet
	5-150	25	-40	113	8spoke
	5-165.1	50	-20	124	10modular
	6-139.7	35	-30	108.7	8spoke
	6-139.7	35	-30	108.7	D-win dow
	6-139.7	35	-30	108.7	modular&rivet
	6-139.7	35	-30	110	8spoke
	5-139.7	40	-70	111	8spoke
	6-139.7	40	-70	111	8spoke
	5-150	40	-70	114	8modular
	5-139.7	55	-60	110	10modular&rivet

WHEEL SPACER

WS-01-30	PCD:5X114.3 / 4.5"; C/B:71.6mm; Screw:1-1/2-20Thickness:30mm / 1.2"
WS-01-38	PCD:5X114.3 / 4.5"; C/B:71.6mm; Screw:1-1/2-20; Thickness:38mm / 1.5"
WS-01-50	PCD:5X114.3 / 4.5"; C/B:71.6mm; Screw:1-1/2-20; Thickness:50mm / 2"
WS-02-30	PCD:5X139.7 / 5.5"; C/B:108.4mm; Screw:12X1.25; Thickness:30mm / 1.2"
WS-02-38	PCD:5X139.7 / 5.5"; C/B:108.4mm Screw:12X1.25; Thickness:38mm / 1.5"
WS-02-50	PCD:5X139.7 / 5.5"; C/B:108.4mm Screw:12X1.25Thickness:50mm / 2"
WS-03-30	PCD:5X150 / 5.9"; C/B:110mm Screw:14X1.5Thickness:30mm / 1.2"
WS-03-38	PCD:5X150 / 5.9"; C/B:110mm Screw:14X1.5Thickness:38mm / 1.5"
WS-03-50	PCD:5X150 / 5.9"; C/B:110mm; Screw:14X1.5Thickness:50mm / 2"

WS-04-30	PCD:5X165.1 / 6.5"; C/B:125mm; Screw:16X1.5Thickness:30mm / 1.2"
WS-04-38	PCD:5X165.1 / 6.5"; C/B:125mm; Screw:16X1.5Thickness:38mm / 1.5"
WS-04-50	PCD:5X165.1 / 6.5"; C/B:125mm; Screw:16X1.5Thickness:50mm / 2"
WS-05-30	PCD:6X139.7 / 5.5"; C/B:110mm; Screw:12X1.5Thickness:30mm / 1.2"
WS-05-38	PCD:6X139.7 / 5.5"; C/B:110mm; Screw:12X1.5; Thickness:38mm / 1.5"
WS-05-50	PCD:6X139.7 / 5.5"; C/B:110mm; Screw:12X1.5; Thickness:50mm / 2"
WS-06-30	PCD:6X139.7 / 5.5"; C/B:110mm Screw:12X1.25; Thickness:30mm / 1.2"
WS-06-38	PCD:6X139.7 / 5.5"; C/B:110mm Screw:12X1.25 ; Thickness:38mm / 1.5"
WS-06-50	PCD:6X139.7 / 5.5"; C/B:110mm; Screw: 12X1.25; Thickness: 50mm / 2"

WS-07-30	PCD:6X114.3 / 4.5"; C/B:71.6mm; Screw: 12X1.25; Thickness:30mm / 1.2"
WS-07-38	PCD:6X114.3 / 4.5"C/B:71.6mm; Screw:12X1.25; Thickness:38mm / 1.5"
WS-07-50	PCD:6X114.3 / 4.5"; C/B:71.6mm; Screw: 12X1.25; Thickness:50mm / 2"
WS-08-30	PCD:5X127 / 5"; C/B:71.5mm; Screw:1/2-20 ; Thickness: 30mm / 1.2"
WS-08-38	PCD:5X127 / 5"; C/B:71.5mm; Screw:1/2-20 ; Thickness:38mm / 1.5"
WS-08-50	PCD:5X127 / 5"; C/B:71.5mm; Screw:1/2-20 ; Thickness:50mm / 2"
WS-11-30	PCD:5X120 / 4.73"; C/B:65.1mm; Screw:M14X1.5 Thickness:30mm / 1.2"
WS-11-38	PCD:5X120 / 4.73"; C/B:65.1mm; Screw:M14X1.5 ; Thickness:38mm / 1.5"
WS-11-50	PCD:5X120 / 4.73"; C/B:65.1mm; Screw: M14X1.5; Thickness: 50mm / 2"

SUSPENSION SERIES

chassis | brake | Spring

SUSPENSION AND LIFT KIT

TOYOTA	Land Cruiser Suspension	HILUX Suspension	Tacoma / Tundra / 4Runner Suspension
Nissan	Petrol Y60 Suspension	Petrol Y61 Suspension	NAVARA Suspension
FORD	RANGER Suspension	MAZDA	BT50 Suspension
ISUZU	D-MAX Suspension	Chevrolet	Colorado Suspension
Mitsubishi	TRITON Suspension	Jeep	Wrangler JK / JL Suspension



UNI-BPV05: TOYOTA HILUX VIGO 05-14
UNI-BPR15: TOYOTA HILUX REVO 2015+
UNI-BPD07: ISUZU D-MAX 07-11
UNI-BPD12: ISUZU D-MAX 2012+
UNI-BPS12: CHEVROLET COLORADO 2012+
UNI-BPF12: FORD RANGER T6 2012+
UNI-BPM12: MAZADA BT50 2012+
UNI-BPT06: MITSUBISHI TRITON 12-14
UNI-BPT15: MITSUBISHI TRITON 2015+
UNI-BPN08: NISSAN NAVARA D40
UNI-BPC15: NISSAN NAVARA NP300 2015+

Rear Stabilizer Sway Anti Roll Space Arm Bar

Reduction of body roll when driving in curves and during fast changes of direction
Stabilizes the vehicle
Gives structural support
Unimpaired spring comFORt at bilateral spring deflection
Decreasing the load difference between the wheels inside and outside the curve
Impacting the under- or over-steering tendency positively

Upper Control Arm Kit

Toyota LC120 / LC150 / FJ / H9 / Hilux Revo/ViGO/FORtuner
Ford Ranger / Mazda Bt50
ISUZU D-MAX / Mux /V-cross
Mistsubishi Triton
NAVAR D40 / NP300
BeiJing BJ40
Great Wall Pick up / Tank300 / H9
Mitsubishi V73/v93/v95

Adjustable Panhard Rod

Toyota LC77 / LC80 / LC90 LC120 / LC150 / FJ LC71 / 72 / 76
FORtuner 05+ / 4Runner
Nissan Y60 / 61
Isuzu Mux
Suzuki Jimny 2007+ / 2019+
Jeep Wrangler JK / JL
BeiJing BJ40 / BJ80
Great Wall H3/H5



Suitable Car Model:

Toyota Hilux VIGO 05-15
Toyota Hilux REVO 15+
Mitsubishi Triton 06-14
Mitsubishi Triton 15+
Nissan Navara D40
Nissan NP300
Ford Ranger 12+
Isuzu D-MAX07-12
Isuzu D-MAX12+

The partner of Steel plate suspension kits

1.improve the overload capacity

2.much more effective to solve the fatigue of Steel plate



Rear Blocks lift kits

Includes 2 Rear Billet Lift Blocks
Includes 4 Zinc Plated U-bolts
Add the lift spacer FOR
50mm lift FOR your pick up
Allows FOR Installation of Plus Sized Tires
Includes complete set of high-strength installation hardware
Simple Instructions FOR Eas

AIR LOCKER SERIES

Air Locker Including – Replacement differential, activation switch, solenoid valve, air line and bulkhead fittings,air compressor

Fit for the car model as below :

TOYOTA	"LC78,79,100,105,40,55,60,62,75,80,120,prado,LJ70,RJ70,Hilux, Pick up,4runner,LN61,YN63,ect."
NISSAN	Frontier,Xterra,Navara,pick up, D21,Wagon,Pathfinder,Y61,Y60,Terrano,Wagon
MITSUBISHI	Montero,Raider,Pajero,Delia,Challenger,Montero sport,Triton, Pick up,4ylinder,6cylinder ect
LAND-ROVER	Range rover,Discovery,Defender
Jeep	Cj(5,6,7,8),YJ ,TJ,XJ,ZJ,WJ.
SUZUKI	Sierra/samurai/jimny,Holden Drover Naranti Gypsy,Vitara,Sidekick
Ford	Chevrolet/GMC/Hummer/ Dodge/Holgen/Isuzu

SOLUTIONS MODULAR ROLLER DRAWER SYSTEMS

Kitchen Series:Equip 1 drawer with horizontal kitchen, Equip 1 drawer with fan-out kitchen

Rich Extensions:Fridges trays Switches Plugs, Pick-ups SUV & other 4x4

KITCHEN SERIES

RICH EXTENSIONS:

4X4 LED LAMP

LED lights



LED lights

UNI-JKHL05

LED fog lights

UNI-JKHL07

LED fog lights

UNI-RFTT9

Roof spotlights

UNI-RAG12RL

Roof spotlights

UNI-WD-EV15

EVEREST TAIL15-21 LAMP (RED)

UNI-WD-T9

TAIL LAMP



4X4 LED LAMP

UNI-ARB96

· 96W /185W /225W LED Lamp
. 9inch CREE, Operating Voltage: 10-30 DC
. Waterproof rate: IP 67 . cree LEDS
. Color Temperature: 6000K
. Lens material:PMMA
. Material:Diecast aluminum housing
. Mounting Bracket: Alu firm bracket
. Beam: Flood /spot beam optional
. 30000 hours above life time

UNI-6072B

. Operating Voltage: 9-30V DC
. Waterproof rate: IP67
. LED Power: =72W
. Material:Plastic
. Lens Material: Aluminium+PC
. Beam:8degree Spot
* Dimensions :38.5 inch

UNI-6100B

. Operating Voltage: 9-30V DC
. Waterproof rate: IP67
. LED Power: =100W
. Material:Plastic
. Lens Material: Aluminium+PC
. Beam:8degree Spot
* Dimensions:37.8 inch

UNI-6100BL

. Operating Voltage: 9-30V DC
. Waterproof rate: IP67
. LED Power: =100W
. Material:Plastic
. Lens Material: Aluminium+PC
. Beam:8degree Spot
* Dimensions:37.8 inch

UNI-5064B

Operating power:48W (±1.5W)
light source: 4Wx16pcs
voltage: 9-32V DC
Luminous flux/illuminance (10m): ≥4800LM/720LX
Surge resistance: ±500V
Certification: CE/RoHs/IP67

UNI-0410Y

Operating power: 8W(±1W)
light source: 10Wx1PCS(Lunimus)
voltage: 9-48V DC
Luminous flux/illuminance (10m): ≥ 700LM/110LX
EMC rating: CISPR25/CLASS 4
Surge resistance: ±500V
Certification: CE/RoHs/IP67

UNI-1212-P9

Operating power : 40W(±1.5W)
light source: 10Wx4pcs(OSARM)
voltage: 9-32V DC
Luminous flux/illuminance (10m): ≥ 3800LM/700LX
Type of connector: bare wire

UNI-E1120

Power: 9-30V DC
Waterproof and dustproof: IP67
Lamp bead : OSRAM
Color temperature: 6000K
material: aluminum alloy spraying
concentrated/mixed light
Life of lamp bead: 30,000 hours

UNI-D4180

Power: 9-30V DC
Waterproof and dustproof: IP67
Lamp bead: LUMNS
Color temperature: 6000K
material: aluminum alloy spraying
Light type: concentrated/mixed light
Life of lamp bead: 30,000 hours

UNI-E2180D

Power: 9-30V DC
Waterproof and dustproof: IP67
Lamp bead : Purui
Color temperature: 6000K
material: aluminum alloy
Light type: concentrated/mixed light
Life of lamp bead: 30,000 hours

UNI-H2060

Power: 9-30V DC
Waterproof and dustproof: IP67
Lamp bead:CREE
Color temperature: 6000K
material: aluminum alloy
Light type: concentrated/mixed light
Life of lamp bead: 30,000 hours

UNI-6072B

Operating Voltage: 9-30V DC
Waterproof rate: IP67
LED Power:72W
Material:Plastic
Lens Material:Aluminium+PC
Beam:8degree Spot
Dimensions :38.5 inch

4X4 LED LAMP

UNI-6100B

Operating Voltage: 9-30V DC
Waterproof rate: IP67
LED Power: 100W
Material:Plastic
Lens Material:Aluminium+PC
Beam:8degree Spot
Dimensions:37.8 inch

UNI-6100BL

Operating Voltage: 9-30V DC
Waterproof rate: IP67
LED Power: 100W
Material:Plastic
Lens Material: Aluminium+PC
Beam:8degree Spot
Dimensions :37.8 inch

UNI-6072BT

Power: 9-16V DC
Waterproof: IP67
Color temperature: 6000K
Shell material: ABS
Material of lamp cover: PMMA
Light type:Spotlight
Life of lamp bead: 30,000 hours

UNI-1135-A

Line length: 3.5M
Switch specification: single switch
Number connected: 1 lamp
Relay power: 40A/12V or 40A/24V
Group connector: circlip
Wire diameter specification:
main line No.14
Working range: 0-300W

UNI-1235-A

Line length: 3.5M
Switch specification: single switch
Number connected: 2 lights
Relay power: 40A/12V or 40A/24V
Group connector: circlip
Wire diameter specification:
main line No.14/branch line No.14
Working range: 0-300W

UNI-KH2435-C

Line length: 3.5M
Switch specification: double switch
Number of lights: 4
Relay power: 40A/12V or 40A/24V
Group connector: circlip
Wire diameter specification:
main line No.16/branch line No.18
Working range: 0-150W

UNI-E-3M

Wire length: 3M
Wire: red/white/black/blue
/brown/yellow
Number connected: 1PCS
Power: 0-80W
Group connector: bare wire
Wire diameter specification: 18th
Group material: PVC+ copper

UNI-LB-DZ01

Type of magnet: ferrite magnet
Number of magnets: 1PCS
Suction index: 8KG/ piece
Bottom shell: iron dusting+silica gel
Screw specification: stainless steel
Magnet size: 70mmx10mm
Bottom size: 80mmx18mm

UNI-LB-DZ04

Type of magnet: neodymium magnet
Suction index: 60KG/ pair
Bottom shell: iron dusting+silica gel
Screw specification: Stainless steel
Number of magnets: 12PCSx4PCS
Magnet size: 87mmx15mm(x4PCS)
Bottom size: 87mmx104mm

UNI-LB-DZ02C

Type of magnet: neodymium magnet
Suction index: 60KG/ pair
Bottom shell: iron dusting+silica gel
Screw specification: stainless steel
Number of magnets: 12PCSx4PCS
Magnet size: 87mmx15mm(x4PCS)
Bottom size:(LWH)
188mmx87mmx33mm

UNI-WC-02

Function:Wireless
Number of keys: 4
Function description:
ON key is on, OFF key is off
Single key stroboscopic
remote control distance: ±80m

TRIFOLD COVER

Available for Most trucks and pick-ups. Hilux, Ranger, Triton, Dmax, Navara, BT50, GWM Cannon, T60, Dodge Ram, F150, Silverado and etc, Manual Rolling cover, Aluminum material, Max load 200KG. Automatic rolling cover, Aluminum material, Max load 200KG, Universal sliding carrier. Steel material. Max load 200KG

MORE PICKUP TRAY CANOPY

PORTABLE REFRIGERATOR

UNI-FRG-C15

1.15L portable refrigerator - home and car use (DC 12V, AC 110-240V)
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Anti-vibration design.
8.Full plastic casing.
9.Chinese Compressor
10.Refrigerant: R134a."

UNI-FRG-CF35

1.35L/45L/55L portable refrigerator (DC 12/24V, AC 110-240V).
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Anti-vibration design.
8.Full plastic casing.
9.Chinese Compressor
10.Refrigerant: R134a.

UNI-FRG-CF45

1.35L/45L/55L portable refrigerator (DC 12/24V, AC 110-240V).
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Anti-vibration design.
8.Full plastic casing.
9.Chinese Compressor
10.Refrigerant: R134a.

UNI-FRG-CF55

1.35L/45L/55L portable refrigerator (DC 12/24V, AC 110-240V).
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Anti-vibration design.
8.Full plastic casing.
9.Chinese Compressor
10.Refrigerant: R134a.

UNI-FRG-CX30

1.30l/40l/50l, vehicle / portable refrigerator (DC 12 / 24V, AC 110-240V)
2.Temperature range: 20 º C to - 20 º C
3.Power consumption: 0.2kw.h/24h
4.Anti leakage of liner equipment
5.LED panel control
6.Fully insulated fuselage
7.Shockproof design
8.All plastic shell
9.Domestic compressor
10.equipped with strong pull rods and large wheels

UNI-FRG-CX50

1.30l/40l/50l, vehicle / portable refrigerator (DC 12 / 24V, AC 110-240V)
2.Temperature range: 20 º C to - 20 º C
3.Power consumption: 0.2kw.h/24h
4.Anti leakage of liner equipment
5.LED panel control
6.Fully insulated fuselage
7.Shockproof design
8.All plastic shell
9.Domestic compressor
10.equipped with strong pull rods and large wheels

UNI-FRG-TWW35

1.35L/45L/55L portable refrigerator (DC 12/24V, AC 110-240V)
.With retractable pull handle and large wheels.fridge zone and freezer zone
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Chinese Compressor
8.Refrigerant: R134a.

UNI-FRG-TWW45

1.35L/45L/55L portable refrigerator (DC 12/24V, AC 110-240V)
.With retractable pull handle and large wheels.fridge zone and freezer zone
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Chinese Compressor
8.Refrigerant: R134a.

UNI-FRG-TWW55

1.35L/45L/55L portable refrigerator (DC 12/24V, AC 110-240V)
.With retractable pull handle and large wheels.fridge zone and freezer zone
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Chinese Compressor
8.Refrigerant: R134a.

UNI-FRG-TW35

1.35L/45L/55L portable refrigerator (DC 12/24V, AC 110-240V)
.Dual temperature control ,fridge zone and freezer zone
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Chinese Compressor
8.Refrigerant: R134a.

UNI-FRG-TW45

1.35L/45L/55L portable refrigerator (DC 12/24V, AC 110-240V)
.Dual temperature control ,fridge zone and freezer zone
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Chinese Compressor
8.Refrigerant: R134a.

UNI-FRG-TW55

1.35L/45L/55L portable refrigerator (DC 12/24V, AC 110-240V)
.Dual temperature control ,fridge zone and freezer zone
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Chinese Compressor
8.Refrigerant: R134a.

PORTABLE REFRIGERATOR

UNI-FRG-TW75

1.75L portable refrigerator
(DC 12/24V, AC 110-240V).
Dual temperature control ,fridge
zone and freezer zone
2.Temperature range: 20ºC to -20ºC
3.Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Chinese Compressor
8.Refrigerant: R134a.

UNI-FRG-TWW75

1.75L portable refrigerator
(DC 12/24V, AC 110-240V)
.With retractable pull handle and large wheels.
fridge zone and freezer zone
2.Temperature range: 20ºC to -20ºC
3. Power consumption: 0.2kw.h/24h
4.Anti-leakage inner tank.
5.Electronic control, LED display,smart APP
6.Fully insulated body.
7.Chinese Compressor
8.Refrigerant: R134a.

UNI-BX-PG21

Product Name: 21l DC
compressor vehicle refrigerator
Capacity: 21l
Refrigeration range: - 18 ° C ~ 10 ° C
Net weight: 13.8kg
Gross weight: 15.4kg
Voltage: DC 12V / 24V
Rated power: 45W
Product size: w590 * d325 * h310mm
Package size: w675 * d410 * h400mm
Cabinet quantity: 20 feet cabinet: 240 feet cabinet:500 feet cabinet: 40 feet height: 600 feet cabinet

UNI-FRG-RT20

1.20L/25L portable refrigerator
DC 12/24V, AC 110-240V
retractable pull handle and large wheels
fridge zone and freezer zone
4.Temperature range: 20ºC to -20ºC
5.The inner tank equipment
6.LED panel control.
7.Pluggable battery optional
8.RT20 product size: 594*345*345mm
9.RT25 product size: 594*344*408mm

UNI-FRG-TA35

1.35L/45L/55L portable refrigerator
DC 12/24V, AC 110-240V
Dual temperature control
fridge zone and
2. DC compressor, dual-use
3.Temperature range: 20ºC to -20ºC
4. The inner tank equipment
5.LED panel control.
6. Pluggable battery optional
7. Product size: 600*400*505MM

UNI-FRG-Y16

1.16L portable refrigerator
DC 12/24V, AC 110-240V).
retractable pull handle and large wheels
fridge zone and freezer zone
2. DC compressor, dual-use
3. Temperature range: 20ºC to -20ºC
4. The inner tank equipment
5.LED panel control.
6. Dimensions: 598*320*260mm

UNI-FRG-TSW40

1.portable refrigerator
40L/50L/60L/80L/100L/120L
DC 12/24V, AC 110-240V
Dual temperature control
2.DC compressor, dual-use,
3.Temperature range: 20ºC to -20ºC
4.The inner tank equipment
5.LED panel control.
6. Pluggable battery optional

UNI-FRG-WT20

1.20L/25L portable refrigerator
DC 12/24V, AC 110-240V
retractable pull handle and large wheels
fridge zone and freezer zone
2. DC compressor, dual-use,
3.Temperature range: 20ºC to -20ºC
4.The inner tank equipment prevents leakage
5.LED panel control
6. Pluggable battery optional
7.WT20 PRODUCT SIZE: 594*345*345MM
8.WT25 PRODUCT SIZE: 594*345*408MM

UNI-FRG-P8

1.8L portable refrigerator
DC 12V, AC 110-240V
2.Temperature range: 20ºC to -20ºC
3. Power consumption: 0.2kw.h/24h
4. Anti-leakage inner tank.
5. Electronic control,
LED display,smart APP
6. Fully insulated body.
7. Anti-vibration design.
8. Full plastic casing.
9. Chinese Compressor
10.Refrigerant: R134a

UNI-BX-PG45

Product Name: 45L DC compressor vehicle refrigerator
Capacity: 45L
Refrigeration range: - 18 ° C ~ 10 ° C
Net weight: 18.5kg
Gross weight: 21.5kg
Voltage: DC 12V / 24V
Rated power: 55W
Product size: w650 * D400 * h465mm
Package size: w680 * d480 * h545mm
Cabinet quantity: 20 foot cabinet 160
40 foot cabinet 336 40 foot high 382

UNI-BX-PG75

Product Name:75L DC compressor vehicle refrigerator
Capacity: 75L
Refrigeration range: - 18°C~10°C
Net weight:30kg
Gross weight: 33kg
Voltage:DC 12V/24V
Rated power: 65W
Product size: W830*D505*H470mm
Package size: w930*D605*H560mm
Number of containers:20 foot cabinet 90
40 foot cabinet 182 40 foot high 200

UNI-KT700W

Temp range:16°C~30°C
NW:9.8kg
GW:12kg
Voltage:DC 24V
Power:700W
Product size:W585*D230*H337mm
packing size:W635*D318*H476mm
*with Panasonic compressor

PORTABLE REFRIGERATOR

UNI-FRG-ED40-A

Productsize:673*409*466
Packingboxsize:723*459*535
Colour:Black+Grey
N.W.:15Kg
G.W.:18Kg
Refrigerant:R134a/R600
Coolingrange:-20ºC~+20ºC
Ratedvoltage:DC12V/24V
Ratedpower:45W(±20%)
Noise:≤45dB
Material:ABS

UNI-FRG-ED40-B

Product size:673*409*466
Packing box size:723*459*535
Colour:Black+Grey
N.W.:15Kg
G.W.:18Kg
Cooling range:-20ºC~+20ºC
Rated voltage:DC 12V/24V
Rated power:45W(±20%)
Noise:≤45dB
Material:ABS

UNI-FRG-ED40-C

Product size:741*409*466
Packing box size:723*459*535
Colour:Black+Grey
N.W.:17Kg
G.W.:20Kg
Cooling range:-20ºC~+20ºC
Rated voltage:DC 12V/24V
Rated power:45W(±20%)
Noise:≤45dB
Material:ABSt

UNI-AC4-LC70

DC COMPRESSOR REFRIGERATOR
Material Science:ABS PP
Capacity: 7L
Product Dimensions
(WxDxH mm): 500x165x453
Set Temperature Range:
-6°C~+6°C / +21°F~+43°F
Battery voltage: DC 12V / 24V
Rated power: 35W
Loading Quantity
(pcs; 20ft/40ft/40HQ): 264 / 528 / 528
Color: Brown

UNI-FRG-ED50-A

Product size:673*409*516
Packing box size:723*459*585
Colour:Black+Grey
N.W.:17Kg
G.W.:20Kg
Refrigerant:R134a /R600
Cooling range:-20ºC~+20ºC
Rated voltage:DC 12V/24V
Rated power:45W(±20%)
Noise:≤45dB
Material:ABS

UNI-FRG-ED50-B

Product size:673*409*516
Packing box size:723*459*585
Colour:Black+Grey
N.W.:17Kg
G.W.:20Kg
Cooling range:-20ºC~+20ºC
Rated voltage:DC 12V/24V
Rated power:45W(±20%)
Noise:≤45dB
Material:ABS

UNI-FRG-ED50-C

Product size:741*409*516
Packing box size:723*459*585
Colour:Black+Grey
N.W.:19Kg
G.W.:22Kg
Cooling range:-20ºC~+20ºC
Rated voltage:DC 12V/24V
Rated power:45W(±20%)
Noise:≤45dB
Material:ABS

UNI-AC4-LC70B

PG7 7L DC
COMPRESSOR REFRIGERATOR
Material Science:ABS PP
Capacity: 7L
WxDxH mm:: 500x165x453
N.W./G.W.: 8.5kg / 9.0kg
Compressor: Cubigel Refrigerant: R134a
Set Temperature Range:
-6°C~+6°C / +21°F~+43°F
Battery voltage:DC 12V/24V Rated power: 35W
Loading Quantity (pcs; 20ft/40ft/40HQ):
264 / 528 / 52

UNI-FRG-ED60-A

Product size:673*409*583
Packing box size:723*459*652
Colour:Black+Grey
N.W.:18Kg
G.W.:22Kg
Cooling range:-20ºC~+20ºC
Rated voltage:DC 12V/24V
Rated power:55W(±20%)
Noise:≤45dB
Material:ABS

UNI-FRG-ED60-B

Product size:673*409*583
Packing box size:723*459*652
Colour:Black+Grey
N.W.:18Kg
G.W.:22Kg
Cooling range:-20ºC~+20ºC
Rated voltage:DC 12V/24V
Rated power:45W(±20%)
Noise:≤45dB
Material:ABS

UNI-FRG-ED60-C

Product size:741*409*583
Packing box size:723*459*652
Colour:Black+Grey
N.W.:20Kg
G.W.:24Kg
Cooling range:-20ºC~+20ºC
Rated voltage:DC 12V/24V
Rated power:45W(±20%)
Noise:≤45dB
Material:ABS

UNI-FRG-IR42

1.42L portable refrigerator
DC 12/24V, AC 110-240V
retractable pull handle and large wheels
fridge zone and freezer zone
2. DC compressor, dual-use,
3. Temperature range: 20ºC to -20ºC
4. The inner tank equipment
5.LED panel control
6. SIZE: 660*384*427MM

UNI-JN18-FB02AL	JB74W 2018+ mechanic style-aluminum
UNI-ARB96	waterproof and dust-proof spot light.
FG-JMN19	Front Grille for JIMNY 2018+
UNI-JN18-RR01	ALUMINIUM ROOF RACK for JB74W/JB64W 2018+
Aw-1520	A practical awning that suits Jimny
UNI-JFFA	Jimny Fender Flares 1998-2017
UNI-JN18-SS01	Side Step for JIMNY 2018+ D type

4WD UNITY OVERLANDING KITS

FOR NEW JIMNY

SUZUKI JIMNY ACCESSORIES

UNI-JN18-FB03
JIMNY SIERRA JB74W
(2018-2019) 1500cc
Front bumper
Size:163*39*22CM/26.5KG

UNI-JN18-FB05
SUZUKI JIMNY 2018+
Front bumper



UNI-JN18-RB01
SUZUKI JIMNY 2018+
Rear bumper

UNI-JN18-RB03
SUZUKI JIMNY 2018+
Rear bumper (with Jerry can holder+Spare tire carrier)

FG-JMN19
SUZUKI JIMNY 2018+
front grille (with SUZUKI word)

FG-JMN19-4
JIMNY SIERRA JB74W/JB64W
(2018-2019) front grille

UNI-JN18-RR01
JIMNY SIERRA JB74W/JB64W
(2018-2019)Roof rack
(LED LIGHT)
ALUMINIUM Material

UNI-JN18-RR04
JIMNY SIERRA JB74W/JB64W
(2018-2019)
ALUMINIUM Material

UNI-JN18-RS02
JIMNY SIERRA JB74W/JB64W
(2018-2019)Rear stair
ALUMINIUM Material

UNI-JN18-SS01
SUZUKI JIMNY 2018+Side Step
Size:128*41*20CM/18.6KG

UNI-JN18-TB
SUZUKI JIMNY 2018+Tow Bar
Size:90*23*14CM/12.5KG

UNI-JN18-CP02
JIMNY SIERRA JB74W/JB64W
(2018-2018)

SUZUKI JIMNY ACCESSORIES

UNI-JN18-WS
Tail window glass aluminum alloy with round holes for JIMNY (JB64/JB74) 2018+

UNI-JN18-WSB
Aluminum alloy Multifunctional expansion window for JIMNY (JB64/JB74) 2018+

UNI-JN18-RS04
Jimny Tail Ladder 18+ type A
Material: aluminum
hollow-carved design:antiskid
rectangular tube

UNI-JN18-STC03
Rear gate spare tyre cover with Multiple color options for Jimny 2018+. glossy black/matt balck/ Grey army green/white

UNI-JN18-STC03CF
Rear gate cover with Carbon fiber texture for Jimny 2018+

UNI-JN18-RTB
Rear door toolbox for Jimny 2018+

UNI-JN18-ER
Aluminum alloy expansion frame inside window for JIMNY (JB64/JB74) 2018+

UNI-JN18-SB
Bonnet guard for New Jimny 2018+ (ABS)

UNI-JN18-AC
Engine hood heat insulation and noise insulation Cotton mat for Jimny 2018+. Material: PET+PUR+Tin foil

UNI-SWL-G63
JIMNY JB74W,2018+,
to Benz G63 Body kits

SUZUKI JIMNY ACCESSORIES

UNI-JN18-TP02

Front tow support(left)
JIMNY SIERRA JB74W/
JB64W(2018-2019)

UNI-JN18-BC02

SUZUKI JIMNY 2018+
Bonnet Cover FRP

UNI-JN18-FGP

JIMNY SIERRA JB74W/JB64W
(2018-2019) FRONT GEAR
BOX COVER

FG-JMN19-SP

SUZUKI JIMNY 2018+Spoiler

UNI-JN18-STC

SUZUKI JIMNY 2018+
Spare Tire Cover

UNI-JN18-A14

JIMNY SIERRA JB74W/
JB64W(2018-2018)

UNI-JMNSTB-B

Products include:Two hard-side storage pockets
(10.23 inch long x 5.3 inch wide x 13 inch high)
One longer horizontal pocket
(21 inch long x 5 inch wide x 7.4 inch high)
A storage solution, provide enough extra storage space

UNI-JN18-A12

JIMNY SIERRAJB74W JB64W
(2018-2018)

JEEP JK & JL ACCESSORIES

JWJK1603-28
Jeep Jk Wrangler
Solitary Front Bumper LED
Material: Steel

JWJK1603-29
Jeep Jk Wrangler
X Front Bumper
Material: Steel

JWJK1603-29L
Jeep Jk Wrangler
X Front Bumper
Material: aluminium alloy

JWJK1603-30
Jeep Jk Wrangler
X Rear Bumper
Material: Steel

JWJK1603-30L
Jeep Jk Wrangler
X Rear Bumper
Material: aluminium alloy

JWJK1603-31
Jeep Jk Wrangler
P Rear Bumper LED
Material: Steel

JWJK1603-32
Jeep Jk Wrangler
Cobra Front Bumper
Material: Steel

JWJK1603-33
Jeep Jk Wrangler
Cobra Rear Bumper
Material: Steel

JWJK1601-25-4
Jeep Wrangler
Cobra Side Step 4 Door
Material: Iron

JWJK1608-42
Jeep Jk Wrangler
Cobra Grille
Material:ABS Plastic

JWJK1609-18
Jeep Jk Wrangler
Cobra Fender Flares

ACCESSORIES

UNI-JLQG-025
Jeep JL Wrangler
RR VENATOR
Front Bumper
Material: Steel

UNI-JLQG-012
Jeep JL Wrangler
Rear Front Bumper

UNI-JLJG-02
Jeep Wrangler JL
Sandstorm Hood
Material: Fiberglass

UNI-JLJG-03
Jeep Wrangler JL
Avenger Hood Material: Steel

UNI-JLXLJ-01
Jeep JL Wrangler
Luggage Racks
Material: Steel
Accept Custom Logo

UNI-JLTB-03
Jeep Wrangler JL
Tubular Side Steps
4 Doors

UNI-JLZW-09
Jeep Wrangler JL
Jeep Gladiator JT
Grille With Lights

UNI-JLLM-07
Jeep JL Wrangler
front Fender Flares with Lights
Front: 220 MM
Material: Aluminum

UNI-JLLM-08
Jeep JL Wrangler
Rear Fender Flares
Rear: 150 MM
Material: Aluminum

UNI-JLBM-05
Jeep Wrangler JL
front and rear Half Door
with Locks And Side Mirror Covers
Material: Steel

UNI-JLBM-04
Jeep Wrangler JL
Front And Rear Half Door
With Locks And Side
Mirror Covers
Material: Steel

UNI-JLNC-04
Jeep JL Wrangler
Rear Inner Fender
Material: Aluminum
Black Powder-Coated

NEW PRODUCT

JN18-BKT-SB
Suitable for 18+Jimny (JB64, JB74)
Black Knight - hood gravel block

JN18-BKT-LC
Suitable for 18+Jimny (JB64, JB74)
front headlight cover - Black Knight

JN18-BKT-FOG
Suitable for 18+Jimny (JB64, JB74)
Black Knight - front fog lampshade

JN18-BKT-RL
Suitable for 18+Jimny (JB64, JB74)
Black Knight - Tail light decorative cover

JN18-BKT-RBS
Suitable for 18+Jimny (JB64, JB74)
Black Knight - Door decorative strip

JN18-BKT-HD
Suitable for 18+Jimny (JB64, JB74)
Black Knight - Front Door Handle Cover

JN18-BKT-HHD
Suitable for 18+Jimny (JB64, JB74)
Black Knight - Rear Handle Cover

JN18-BKT-MIR
Suitable for 18+Jimny (JB64, JB74)
Black Knight - exterior rearview mirror cover

UNI-JN18-FDR
Suitable for 18+Jimny JB64
mudguards - red

UNI-JN18-FDB
Suitable for 18+Jimny JB64
mudguards - black



UNI-JN18-BKT
Suitable for 18+Jimny JB64
mudguards - black

UNI-STB-OG36
Model:OG36 SUV Spare Tire Tool
Storage Bag
Size: 26.7x 22x5.9 inches
Material: 600D Oxford
cloth+210D lining cloth
Color: Black
Packaging: with PP bag
Weight: 1.1kg
Folding size: 39x 28x 4cm

NEW PRODUCT

UNI-STB-BAG02
Product Name/Name: Car Spare Ttire
Storage Bag
Fabric/Material: 600D Oxford fabric
Size:58x18x60cm
Color:Black / Khaki /Army Green
Package: with PP bag
Weight: 1.02kg
Single package size: 35x27x 4.5cm
Packing Carton size:45 x 52x 38cm/10pcs

UNI-STB-WP
Material: 1680D Waterproof &
Dustproof nylon cloth
Length: 48cm
Width: 27cm Height: 60cm
Size: 23.6 x 18.9 x10.6 inch

UNI-STB-BAG
Model: HG0108
Spare Tire Tool Storage Bag
Size: 24 x 17 x 8 inch
can use up to 40 inch tires
Material: 600D Oxford cloth
+210D Oxford cloth+leather
Color: Black
Packaging: with PP bag
Weight: 1.0kg
Folding size: 32 x 27 x 4cm

UNI-STB-HG36
Model: HG36 SUV
Spare Tire Tool Storage Bag
Size: 26.7 x 22 x 9.5 inches
Material: 600D Oxford fabric
+210D Oxford fabric
Color: Black
Package: with PP bag
Weight: 1.1kgs
Folding size: 39 x 28 x 4 cm

UNI-STB-HG73
Model:HG73 SUV
Spare Tire Tool Storage Bag
Size:15.74 x 8.26 x 22.83 inches
Material: 600D Oxford fabric
+210D Oxford fabric
Color: Black
Packaging: with PP bag
Weight: 0.7kgs
Folding size: 28 x 23 x 5 cm

UNI-STB-HG162
Model:HG162
Spare Tire Tool Storage Bag
Size: 22Wx24Hx8D inch
Material: 600D Oxford fabric
+mesh fabric
Color: Army Green
Package: with PP bag
Weight : 1.35kg ,
Folding size: 33x 27x 8cm
Packing Carton size: 52x 45x 38cm/14 pcs



RTK-MPS
Recovery Trackmounting
PlateShort Short



RTK-MPL
Recovery Trackmounting
PlateShort Long

UNI-ABC-FR-SP
Aluminum canopy,invisible hinges
upgrade handle,avant-garde tail light
addtional luggage rails

UNI-BC-TH-TP
Steel canopy with tactical plates:
rich accessories available

PKST-VG05
Soft topper No TPU window

PKST-VG05-P
Soft topper with TPU window

NEW PRODUCT

USDC-X20

Charging method: USB chargingProduct size:21.2cm+9.7cm*25.5cm
Battery capacity: Conventional 5200HA
Product net weight: 645g Product gross weight: 838.5gOuter box
Governor: stepless speed regulation (power display, gear display)
Usage time:Fan 4.5H-10H Lamp 20HFullcontainer
Accessories:One charging cable, oneinstruction manual

USDC-489

Battery:standard20,000mA
with electric heating mosquito killer plate function
there are four levels of shaking head 90/180/270/360 degrees
maximum wind 13.5 hours The maximum wind when shaking the headis 9 hours
LED lighting 120 hours
Anti-mosquito function 18 hours

USDC-465

Rechargeable Movable FanCharging method: Adapter
Speed: Stepless speed regulation
Light 20HDischarge time: 4.5 hours
Accesories:UL 2A adapter(length 2m) manualColor: Black+Orange

USDC-5616

Rechargeable Movable Fan(remote control)
Speed: 3 speed with infra-red control
Net weight with gift box: 0.839kgInput Duration: Fan 4.5H-10H;
light 20HDischarge time: 4.5 hours
Accesories: 2A USB charging cable, remote controller, manual
Color: Black+OrangeMOQ for customization color: 5000pcs

USDC-468

Rechargeable Movable FanSpeed regulation:stepless speed regulation
Battery: standard 18650 lithium battery with 3 7500mah, up to 4
Motor:brushless motor, 9V
LED:7 2835 beads,1.5W power 0.5
Material:ABS plastic +PC,

HL71082

Portable tripod worklight24x3 SMD , 3500K/6500K,7000~2000lumen3.7v 4000mah
Material:Aluminum ,ABS
Net weight :1759g
Changing time :5 hours
Discharging time : 2~9 hours

HL71615

Slim foldable Rechargeable work light6w time :3-4 hours ,5v1a Discharging time :3~15hours With hook and magnet

HL71607

Multi function rechargeable
Material :ABSSize :155x43mmNet weight :138g5 work modes With bracket magnetWith hook & clipIPx4

UNI-7186

7 inch spotlight 150W
with light covers

UNI-9188

9 inch spotlight 240W
with light cover

UNLRAG22RL

Light type:parallel spotlight,3W/Lamp beads24pcs oflamp beads

UNLTTN15RL

Light type:parallel spotlight,3W/Lamp beads24pcs of lamp beads

NEW PRODUCT

UNI-VA-FA

Brand New Amarok Front bumper

UNI-0512FI

GAZE-Hilux vigo upgrade bumper

UNI-0512FK

GLOW-Hilux Vigo Upgrade bumper

UNI-FJ15018-FD

ADAPT-Prado 2018+ upgrade bumper with head light washer

UNI-STLC79BS

Stainless snorkel for land cruiser 79 series

UNI-SLC200NBS

Stainless snorkel for land cruiser 200 series

UNI-SLC200NSS

Stainless snorkel for land cruiser 200 series

UNI-SVGO5BS

Stainless snorkel for Hilux Vigo

UNI-SFR11BS

Stainless snorkel for Ranger T6-T8

UNI-PRRW-25L

25L Roof top water tank. LLDPE food grade material. 12v Built-in pump

UNI-PRRW-19L

Tactical side-hanging water tank 19L. LLDPE food grade material. 12v Built-in pump

Tyre deflator

New style tyre deflator
An ideal partner for a safe journey

4WDUNITY

4WDUNITY

4WDUNITY

UNITY 4WD ACCESSORIES
UNITY 4WD ACCESSORIES

4WDUNITY

4WDUNITY

4WDUNITY

4WDUNITY
4WDUNITY

UNITY 4WD ACCESSORIES
4WDUNITY

4X4 SNORKEL

4WDUNITY



ACCESSORIES
4X4 SNORKEL
WWW.UNITY4X4.COM
ACCESSORIES
FENDER FLARES
WWW.UNITY4X4.COM
RECOVERY
STRAPS
WWW.UNITY4X4.COM

4WDUNITY

4WDUNITY
UNITY 4WD ACCESSORIES

ACCESSORIES
JEEP JK & JL

ACCESSORIES
4X4 BUMPER

ACCESSORIES
ELECTRIC WINCH

HI!

I'm glad to serve you

4WDUNITY ACCESSORIES

WWW.UNITY4X4.COM

PROFESSIONAL

OEM / ODM

4X4 CAR ACCESSORIES MANUFACTURE

Guangzhou Unity Manufacturing Co Ltd

TEL: 0086-20-36773611/28996644
E-mail: sales@china4x4accessories.com
OFFICE: NO.3018,HuiQiao Building,Baiyun Dadao Bei,Baiyun District,Guangzhou City,China;510440
ASSEMBLY: Building B5, Tangge Si She Industrial Zone, No.111 Tangge North Road Baiyun District, Guangzhou